

OZONIZER PLH-FW03

Instruction manual



OZONIZER PLH-FW03 FOR FRIDGE AND WARDROBE

SPECIFICATIONS

Ozone density:	About 4.0ppm
Anion output:	3million/cm ³
Range:	"High" < 250L, "Low-grade" < 150L
Rated voltage:	DC 4.5V (3 pieces "AAA" batteries)
Power:	0.5 watts
Product weight:	0.16Kg

FEATURES

An innovative device which utilizes ionic technology to generate ozone (O₃) & anions to purify the air thoroughly¹. This unit is a compact OZONIZER great for deodorizing and freshening in food storage containers, household storage boxes, closets, cabinet, wardrobes and small refrigerators.

1. Naturally eliminates odors without any cover-up scents or fragrance.
2. Neutralize stale and foul odors with fresh air inside refrigerators, closets, bathrooms and cars.
3. Particularly suitable for use in a refrigerator to keep food fresh for longer time.
4. Kill all kinds of bacteria avoiding growth of mildew.
5. Built-in micro CPU intelligently controls the operation cycle & mode by one touch and indicates with the colored LED.
6. Operation with 3 AAA batteries. Low voltage indicator reminds you when to replace batteries.
7. No costly filter to replace.
8. Very elegant and space - saving design.

USE AND OPERATION INSTRUCTIONS

1. Remove the battery door on the back of the unit, install 3 pieces 'AAA' 1.5V high-quality alkaline batteries (purchase separately) according to the proper polarity. Close the battery door.
2. Once press the "POWER" button. You may hear the light sound 'ci-ci', the green LED power indicator flashes and keeps on every 2 second, indicating the unit is activated and working properly.
3. Thanks to the built-in microprocessor to control its automatic operating system, it works continuously for the first 30 minutes, then cycles on for about 1.5 minutes every 1 hour. When the unit in standby mode, the LED indicator flashes every 10 seconds.
4. Press the "POWER" button again to turn off the unit.

NOTICE

When the red power indicator illuminates, this is the built-in low voltage indicator reminds you of replacing batteries.

CAUTION

1. Avoid breathing ozone directly through the top of the unit's vent.
2. Remove the batteries if the unit is not in use. Batteries may corrode when the power is not turned on for extended periods of time.
3. Do not operate the unit in areas where flammable or combustible products or vapors may be present.
4. Keep the unit away from water.
5. Do not strongly shock the unit to avoid any slack of the interior parts of the unit.

AFTER SALES SERVICE

Should you encounter any problems with the unit, please contact the sales agent.

WARRANTY

Period of Guarantee	One year limited
Customer Name	
Address & Tel.No.	
Purchased Date	
Sign and Stamp of Seller	

1. This product passes strict testing prior to leaving the factory. In the event of failure or malfunctioning within a period of 90 days from the date of purchase, purchasers may return the faulty product for free repair or replacement of parts. This depends upon the malfunction or damage to the device/parts of the device occurring during normal running conditions.
2. Guarantee does not cover damages related to self-dismantling and or assembling, unauthorized operation not as per the instruction manual, random changes of power source and or voltage, artificial causes or natural disasters.
3. The date on this guarantee and the purchase invoice will be considered to determine the validity of the 90 days free maintenance.



GEV Großküchen-Ersatzteil-Vertrieb GmbH

Gadastr. 4
85232 Bergkirchen - Germany
T +49 8142 6522-50
info@gev-online.com
www.gev-online.com

LF S.p.A. a socio unico

Via Voltri 80
47522 Cesena FC - Italy
T +39 0547 341111
info@lfspareparts.com
www.lfspareparts724.com

EPGC S.a.s.

13 Rue des Forts
59960 Neuville en Ferrain - France
T +33 3 20250621
epgc@epgc.com
www.epgc.com

Commercial Catering Spares Ltd.

Block C - Axis Point Hill Top Road
Heywood - Lancashire - OL10 2RQ - UK
T +44 1706 621 155
info@ccspares.co.uk
www.ccspares.co.uk

Atel S.r.l. a socio unico

Via Selvuzzis 51/2
33100 Udine UD - Italy
T +39 0432 602095
info@atelitalia.com
www.atelitalia.com