

## Safety Data Sheet

Compliant with Annex II of REACH - Regulation 2015/830

### SECTION 1. Identification of the substance/mixture and company/firm

#### 1.1. Product identifier

Code: ZARA\_F4  
 Name: COMBICLEAN  
 Chemical name and synonyms: OVEN DETERGENTS

#### 1.2. Identified uses related to the substance or mixture and recommended uses

Description/Use: ALKALINE OVEN DETERGENT

Identified Uses	Industrial	Professional	Consumption
oven detergent	-	✓	-

#### Uses advised against

Do not use for uses other than those indicated

#### 1.3. Information about the supplier of the safety data sheet

Company name: ALI Group S.r.l.  
 Address: VIA SCHIAPARELLI 15  
 City and country: 31029 VITTORIO VENETO (TV)  
 ITALY  
 tel. +39 0438 9110  
 fax -

email address of the contact person,

In charge of the safety data sheet: lainox@lainox.com  
 Head of market release: ALI Group S.r.l.

#### 1.4. Emergency telephone number

For urgent information, please contact

Poison Control Centre Milan (Niguarda Ca' Granda Hospital) (H24) Tel. +39 02 66101029  
 Poison Control Centre Pavia (IRCCS Maugeri Foundation – Pavia) Tel. +39 0382 24444  
 Poison Control Centre Bergamo (Riuniti Hospitals - Bergamo) Tel. +39 800 883300  
 Poison Control Centre Florence (Careggi Hospital - Florence) Tel. +39 055 7947819  
 Poison Control Centre Rome (Gemelli Polyclinic - Rome) Tel. +39 06 3054343  
 Poison Control Centre Rome (Umberto I Polyclinic - Rome) Tel. +39 06 49978000  
 Poison Control Centre Naples (Cardarelli Hospital – Naples) Tel. +39 081 7472870

The list of Poison Centres authorised to access the Dangerous Preparations Archive can be consulted via the link <https://preparatipericolosi.iss.it/cav.aspx>

## SECTION 2. Hazard identification

### 2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions under Regulation (EC) 1272/2008 (CLP) (and successive amendments and repeals). The product, therefore, requires a safety data sheet that complies with the provisions of Regulation (EU) 2015/830. Any additional information regarding the risks for health and/or the environment are outlined in sections 11 and 12 of this data sheet.

Hazard classification and indications:

Substance or mixture corrosive to metals, category 1	H290	May be corrosive to metals
Skin corrosion, category 1A	H314	Causes severe skin burns and eye damage.
Severe eye damage, category 1	H318	Causes serious eye damage.

### 2.2. Label elements

Hazard labelling pursuant to Regulation (EC) 1272/2008 (CLP) and successive amendments and repeals.

Hazard pictograms:



Cautions: Hazard

Hazard indications:

**H314** Causes severe skin burns and eye damage.  
**H290** May be corrosive to metals

Precautionary statements:

**P260** Do not breathe dust/fume/gas/mist/vapours/spray.  
**P305+P351+P338** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
**P303+P361+P353** IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water/shower.  
**P280** Wear protective gloves/protective clothing/eye protection/face protection.

**Contains:** SODIUM HYDROXIDE

Ingredients compliant with Regulation (EC) No. 648/2004

Less than 5% phosphonates, non-ionic surfactants

### 2.3. Other hazards

Based on the available data, the product does not contain PBT or vPvB substances in percentages over 0.1%.

## SECTION 3. Composition/information about the ingredients

### 3.1. Substances

Information not applicable

### 3.2. Mixtures

Contains:

Identification	x = Conc. %	Classification 1272/2008 (CLP)
<b>SODIUM HYDROXIDE</b>		
CAS 1310-73-2	$11 \leq x < 12.5$	Met. Corr. 1 H290, Skin Corr. 1A H314, Eye Dam. 1 H318 Skin Corr. 1A; H314: $C \geq 5\%$ Skin Corr. 1B; H314: $2\% \leq C < 5\%$ Skin Irrit. 2; H315: $0.5\% \leq C < 2\%$ Eye Irrit. 2; H319: $0.5\% \leq C < 2\%$
EC 215-185-5		
INDEX 011-002-00-6		
Reg. No. 01-2119457892-27-XXX		
<b>PHOSPHONIC POLYMER</b>		
CAS	$1.5 \leq x < 2$	Met. Corr. 1 H290, Eye Dam. 1 H318
EC		
INDEX -		
<b>CAPRYLETH-9 CARBOXYLIC ACID</b>		
CAS 53563-70-5	$1 \leq x < 1.5$	Eye Dam. 1 H318
EC 611-013-1		
INDEX -		

The complete test of the hazard indications (H) is outlined in section 16 of the data sheet.

## SECTION 4. First aid measures

### 4.1. Description of first aid measures

**EYES:** Remove any contact lenses. Rinse immediately with plenty of water for at least 30/60 minutes, while holding the eyelids apart. Seek medical advice immediately.

**SKIN:** Remove any contaminated clothing. Take a shower immediately. Seek medical advice immediately.

**INGESTION:** Drink as much water as possible. Seek medical advice immediately. Do not induce vomiting unless expressly authorised by medical personnel.

**INHALATION:** Seek medical advice immediately. Take the patient outside, away from the site of the accident. If the patient stops breathing, administer artificial respiration. Adopt suitable precautions for the responder.

### 4.2. Main symptoms and effects both acute and delayed

No specific information is known about the symptoms and effects caused by the product.

### 4.3. Indication of any requirement to immediately seek medical advice and special treatments

Information not available

## SECTION 5. Fire prevention measures

### 5.1. Extinguishing agents

#### SUITABLE EXTINGUISHING AGENTS

The extinguishing agents are the conventional kind: carbon dioxide, foam, powder and nebulised water.

#### UNSUITABLE EXTINGUISHING AGENTS

None in particular.

### 5.2. Special hazards caused by the substance or mixture

#### HAZARDS DUE TO EXPOSURE IN THE EVENT OF FIRE

Avoid breathing in combustion products.

### 5.3. Recommendations for fire fighters

#### GENERAL INFORMATION

Cool the containers with water jets to prevent the decomposition of the product and the development of substances which could be a health hazard. Always wear the full fire prevention protection equipment. Collect the water used to put out the fire which must not be discharged into the drains. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

#### EQUIPMENT

Normal firefighting clothing, such as an open circuit, compressed air self-contained breathing apparatus (EN 137), firefighting suit (EN469), protective gloves (EN 659) and firefighter boots (HO A29 or A30).

## SECTION 6. Measures in the event of accidental spills

### 6.1. Personal precautions, protection equipment and procedures in the event of an emergency

Stop the leak if there is no hazard.

Wear suitable protective equipment (including the personal protective equipment under section 8 of the safety data sheet) in order to prevent contamination of the skin, eyes and personal clothing. These indications are valid both for processing technicians and for emergency interventions.

### 6.2. Environmental precautions

Prevent the product from entering the sewage systems, water courses and ground water.

### 6.3. Methods and material for containment and cleaning up

Suction the leaked product into a suitable container. Assess the compatibility of the container to use with the product, by checking against section 10.

Absorb the remaining product with inert absorbent material.

Ensure adequate ventilation. Disposal of the contaminated material must be carried in compliance with the provisions of point 13.

### 6.4. Reference to other sections

Any information about individual protection and the disposal are outlined in sections 8 and 13.

## SECTION 7. Handling and storage

### 7.1. Precautions for safe handling

Ensure adequate earthing for systems and persons. Avoid contact with eyes and skin. Do not inhale any dust, vapours or mists. Do not drink, eat or smoke when using. Avoid dispersion of the product in the environment.

### 7.2. Conditions for safe storage, including any incompatibilities

Only store in the original container. Keep the containers closed in a well-ventilated place, away from sources of ignition. Keep the containers hermetically sealed. Keep the product in clearly marked containers. Avoid overheating. Keep the containers separate from any incompatible materials; check in section 10.

### 7.3. Specific end uses

Information not available

## SECTION 8. Exposure control/personal protection

### 8.1. Control parameters

#### Legislative references:

EU	OEL EU	Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.
	TLV-ACGIH	ACGIH 2020

#### SODIUM HYDROXIDE

##### Threshold limit value

Type	State	TWA/8h		STEL/15min		Notes / Observations
		mg/m3	ppm	mg/m3	ppm	
TLV-ACGIH		2				SKIN

#### Key:

(C) = CEILING ; INALAB = Inhalable fraction ; RESPIR = Breathable fraction ; TORAC = Thoracic fraction.

VND = hazard identified but no DNEL/PNEC available; NEA = no exposure expected ; NPI = no hazard identified.

### 8.2. Exposure control

Considering that the use of adequate technical measures should always take priority over personal protection equipment, ensure good ventilation in the workplace through effective local extraction.

When choosing personal protective equipment, ask your chemical substance suppliers for any advice.

Personal protective equipment must bear the CE marking which indicates compliance with the laws in force.

Provide emergency shower facilities with eye baths.

#### HAND PROTECTION

Protect hands with category III class K work gloves.

When choosing the material of the work gloves, you should consider: compatibility, degradation, breakthrough times and permeation rates.

In the case of preparations, resistance of work gloves to chemical agents must be checked before use, as it is unpredictable. Gloves have a deterioration time that depends on the duration and method of use.

#### SKIN PROTECTION

Wear work clothes with long sleeves and safety footwear for professional use, category III (ref. Regulation 2016/425 and EN ISO 20344 standard). Wash with soap and water after removing protective clothing.

#### EYE PROTECTION

It is advisable to wear a hooded visor or protective visor combined with tightly fitting goggles (ref. standard EN 166).

#### RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) of the substance or one or more substances present in the product are exceeded, it is advisable to wear a mask with a type A filter. The class (1, 2 or 3) must be chosen in relation to the limit of use of the concentration. (ref. standard EN 14387). If gases or vapours and/or gases of vapours with particles (aerosols, fumes, mist, etc.), combined filters must be provided.

The use of measures to protect the airways is required if the technical measures are not sufficient to limit the exposure of workers to the threshold values taken into account. The protection offered by the mask is, however, limited.

If the substance is considered odourless or its odour threshold is above the one for TLV-TWA and in the event of any emergency, wear an open circuit, compressed air self-contained breathing apparatus (ref. standard EN 137) or a fresh air hose breathing apparatus (ref. standard EN 138). For the correction choice of respiratory protection devices, refer to standard EN 529.

#### ENVIRONMENTAL EXPOSURE CONTROL

Emissions from production processes, including those from ventilation equipment, should be checked for compliance with environmental protection

regulations.

## SECTION 9. Physical and chemical properties

### 9.1. Information about fundamental physical and chemical properties

Physical state	liquid
Colour	yellow
Odour	odourless
Odour threshold	Not available
pH	13
Melting or freezing point	Not available
Initial boiling point	Not available
Boiling range	Not available
Flash point	Not available
Evaporation rate	Not available
Flammability of solids and gases	Non-flammable
Lower flammability limit	Not available
Upper flammability limit	Not available
Lower explosive limit	Not available
Upper explosive limit	Not available
Vapour pressure	Not available
Vapour density	Not available
Relative density	1.08
Solubility	Soluble in water
partition coefficient: octanol/water	Not available
Auto-ignition temperature	Not available
Decomposition temperature	Not available
Viscosity	Not available
Explosive properties	not classified as explosive, does not contain explosive substances according to Reg. CLP Art. (14 (2))
Oxidising properties	the product is not an oxidising substance

### 9.2. Other information

VOC: 0

**SECTION 10. Stability and reactivity****10.1. Reactivity**

There are not particular reaction hazards with other substances under normal conditions of use.

**10.2. Chemical stability**

The product is stable under normal conditions of use and storage.

**10.3. Possibility of hazardous reactions**

No hazardous reactions are foreseen under normal conditions of use and storage.

**10.4. Conditions to avoid**

None in particular. However, the usual precautions used for chemical products should be respected.

**SODIUM HYDROXIDE**

Avoid exposure to: air, humidity, heat sources.

**SODIUM HYDROXIDE**

Avoid exposure to: air, humidity, heat sources.

**10.5. Incompatible materials**

Information not available

**10.6. Hazardous decomposition products**

Information not available



## SECTION 11. Toxicological information

In the absence of experimental toxicological data on the product in question, the possible dangers of the product to the health have been assessed on the basis of the properties of the substances it contains, according to the criteria laid down by the reference legislation for classification. Therefore, consider the concentration of the individual hazardous substances which may be mentioned in section. 3, when assessing the toxicological effects caused by exposure to the product.

### 11.1. Information about the toxicological effects

#### PHOSPHONIC POLYMER

No specific information is available on the preparation as such.  
The following information is based on the toxicological behaviour of the components.  
Data in literature indicate LD-50 rat oral >2000 mg/Kg.

#### Metabolism, kinetics, mechanism of action and other information

Information not available

#### Information on probable exposure pathways

Information not available

#### Immediate or delayed effects and chronic effects due to short or long-term exposure

Information not available

#### Interactive effects

Information not available

#### ACUTE TOXICITY

ATE (inhalation) of the mixture  
> 20 mg/l  
ATE (oral) of the mixture:  
> 2000 mg/kg  
ATE (skin) of the mixture:  
>2000 mg/kg

#### PHOSPHONIC POLYMER

LD50 (Oral) > 2000 mg/kg rat

LD50 (Skin) > 2000 mg/kg rat

#### SKIN CORROSION/SKIN IRRITATION

Corrosive for the skin  
Classification based on the experimental Ph value

#### PHOSPHONIC POLYMER

Primary irritability:  
\* on skin (Rabbit OECD 404):  
Corrosive on skin and mucous  
Causes serious skin burns and eye damage  
\* on eyes (Rabbit OECD 405):  
Highly corrosive.  
Causes serious eye damage.

**SERIOUS EYE DAMAGE/EYE IRRITATION**

Causes serious eye damage

**RESPIRATORY OR SKIN SENSITISATION**

Does not respond to classification criteria for this hazard class

**PHOSPHONIC POLYMER**

Sensitivity (Guinea pig OECD 406): Based on available data, the classification criteria are not met.

\* CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

**GERM CELL MUTAGENICITY**

Does not respond to classification criteria for this hazard class

**CARCINOGENICITY**

Does not respond to classification criteria for this hazard class

**REPRODUCTIVE TOXICITY**

Does not respond to classification criteria for this hazard class

**SPECIFIC TARGET ORGAN TOXICITY (STOT) - SINGLE EXPOSURE**

Does not respond to classification criteria for this hazard class

**SPECIFIC TARGET ORGAN TOXICITY (STOT) - REPEATED EXPOSURE**

Does not respond to classification criteria for this hazard class

**ASPIRATION HAZARD**

Does not respond to classification criteria for this hazard class

## SECTION 12. Ecological information

Use according to good working practice, avoiding dispersion of the product in the environment. Notify the competent authorities if the product reaches water courses or if it has contaminated the soil or vegetation.

### 12.1. Toxicity

#### SODIUM HYDROXIDE

LC50 - Pesci

189 mg/l/96h fish

EC50 - Crustaceans

40.4 mg/l/48h ceriodaphnia dubia

#### PHOSPHONIC POLYMER

EC50 - Crustaceans

> 100 mg/l/48h daphnia

#### CAPRYLETH-9 CARBOXYLIC ACID

LC50 - Fish

> 100 mg/l/96h

### 12.2. Persistence and degradability

#### SODIUM HYDROXIDE

Rapidly degradable

### 12.3. Bioaccumulation potential

Information not available

### 12.4. Mobility in soil

Information not available

### 12.5. Results of PBT and vPvB assessment

Based on the available data, the product does not contain PBT or vPvB substances in percentages  $\geq 0.1\%$ .

### 12.6. Other adverse effects

Information not available

## SECTION 13. Advice for disposal

### 13.1. Waste treatment methods

Re-use, if possible. Product residue should be treated as special hazardous waste. The hazardous properties of waste that partly contain this product must be assessed according to the laws in force.

Disposal must be carried out by a company authorised for waste management, in compliance with the national and local legislation.

#### CONTAMINATED PACKAGING

Contaminated packaging must be sent for recovery or disposal in compliance with national laws for waste management.

**SECTION 14. Transport information**

14.1. UN NUMBER

ADR / RID, IMDG, IATA: 1824

14.2. UN-Shipping Name

ADR / RID: SODIUM HYDROXIDE SOLUTION

IMDG: SODIUM HYDROXIDE SOLUTION

IATA: SODIUM HYDROXIDE SOLUTION

14.3. Transport hazard classes

ADR / RID: Class: 8

Label: 8



IMDG: Class: 8

Label: 8



IATA: Class: 8

Label: 8



14.4. Packing group

ADR / RID, IMDG, IATA: II

14.5. Environmental risks

ADR / RID: NO

IMDG: NO

IATA: NO

14.6. Special precautions for users

ADR / RID: HIN Kemler 80

Limited Quantities: 1 L

Tunnel restriction code: (E)

Special provision: -

IMDG: EMS: F-A, S-B

Limited Quantities: 1 L

IATA: Cargo

Maximum Quantities: 30 L

Pass.

Maximum Quantities: 1 L

Pack

Packing instructions: 855

Special instructions: A3, A803

ing instructions: 851

14.7. Dry bulk carrier according to annex II of MARPOL and IBC code

N.A.

## SECTION 15. Information on regulation

### 15.1. Legislative and regulatory provisions on health, safety and the environment specific to the substance or mixture

Seveso category - Directive 2012/18/EC: None

Restrictions on the product or substances contained in it according to Annex XVII Regulation (EC) 1907/2006

<u>Product</u>	
Point	3

Substances in Candidate List (Art. 59 REACH)

Based on the available data, the product does not contain SVHC substances in percentages  $\geq 0.1\%$ .

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to export notification obligation Reg. (EC) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Health checks

Workers exposed to this chemical agent which is hazardous to the health must undergo health monitoring carried out according to the provisions of art. 41 of Italian Leg. Decree 81 of 9 April 2008 unless the risk for the health and safety of the worker has been deemed irrelevant, according to the provisions of art. 224 paragraph 2.

Regulation (EC) No. 648/2004

Ingredients compliant with Regulation (EC) No. 648/2004

The surfactant(s) contained in this formula is (are) compliant with the criteria for biodegradability laid down by Regulation (EC) No. 648/2004 on detergents. All supporting data are kept available to the competent authorities of the Member States and will be provided, at their specific request or request of the manufacturer of the formula, to the above-mentioned authorities.

Italian Leg. Decree 152/2006 and subsequent modifications

Emissions according to Part V Annex I:

WATER 89.01 %

Water hazard classes in Germany (AwSV, vom 18. April 2017)

WGK 1: low hazard to waters

**15.2. Chemical safety assessment**

A chemical safety assessment has been carried out for the mixture and the substances contained in it.

SODIUM HYDROXIDE

**SECTION 16. Other information**

Text of the hazard indications (H) quoted in sections 2-3 of the data sheet:

<b>Met. Corr. 1</b>	Substance or corrosive mixture for metals, category 1
<b>Skin Corr. 1A</b>	Skin corrosion, category 1A
<b>Eye Dam. 1</b>	Severe eye damage, category 1
<b>Skin Irrit. 2</b>	Skin irritation, category 2
<b>H290</b>	May be corrosive for metals.
<b>H314</b>	Causes severe skin burns and eye damage.
<b>H318</b>	Causes serious eye damage.
<b>H315</b>	Causes skin irritation.
<b>H319</b>	Causes severe eye irritation.

**KEY:**

- ADR: European agreement for the transport of hazardous goods by road
- CAS NUMBER: Chemical Abstract Service Number
- EC50: Concentration that affects 50% of the population subjected to tests
- EC NUMBER: Identification number in ESIS (European archive of existing substances)
- CLP: Regulation EC 1272/2008
- DNEL: Derived No-Effect Level
- EmS: Emergency Schedule
- GHS: Global harmonised system for the classification and labelling of chemical products
- IATA DGR: Regulation for the transportation of hazardous goods of the international association of air transport
- IC50: Immobilisation concentration of 50% of the population subjected to tests
- IMDG: International maritime code for the transportation of hazardous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identification number of Annex VI of the CLP
- LC50: Lethal concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational exposure limit
- PBT: Persistent, bioaccumulative and toxic according to REACH
- PEC: Predicted environmental concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation EC 1907/2006
- RID: Regulation for international transportation of hazardous goods by train
- TLV: Threshold limit value
- TLV CEILING: Concentration which must not be exceeded at any time during working exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average
- VOC: Volatile organic compound
- vPvB: Very persistent and very bioaccumulative according to REACH
- WGK: Water hazard classes (Germany).

**GENERAL BIBLIOGRAPHY:**

1. Regulation (EC) 1907/2006 of the European Parliament (REACH)
2. Regulation (EC) 1272/2008 of the European Parliament (CLP)
3. Regulation (EU) 790/2009 of the European Parliament (I Atp. CLP)
4. Regulation (EU) 2015/830 of the European Parliament
5. Regulation (EU) 286/2011 of the European Parliament (II Atp. CLP)
6. Regulation (EU) 618/2012 of the European Parliament (III Atp. CLP)

7. Regulation (EU) 487/2013 of the European Parliament (IV Atp. CLP)
  8. Regulation (EU) 944/2013 of the European Parliament (V Atp. CLP)
  9. Regulation (EU) 605/2014 of the European Parliament (VI Atp. CLP)
  10. Regulation (EU) 2015/1221 of the European Parliament (VII Atp. CLP)
  11. Regulation (EU) 2016/918 of the European Parliament (VIII Atp. CLP)
  12. Regulation (EU) 2016/1179 (IX Atp. CLP)
  13. Regulation (EU) 2017/776 (X Atp. CLP)
  14. Regulation (EU) 2018/669 (XI Atp. CLP)
  15. Regulation (EU) 2018/1480 (XIII Atp. CLP)
  16. Regulation (EU) 2019/521 (XII Atp. CLP)
- The Merck Index. - 10th Edition
  - Handling Chemical Safety
  - INRS - Fiche Toxicologique (toxicological sheet)
  - Patty - Industrial Hygiene and Toxicology
  - N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
  - IFA GESTIS website
  - ECHA Agency website
  - Database of SDS models for chemical substances - Ministry of Health and Higher Health Institute

**Note for user:**

The information contained in this data sheet is based on the knowledge available to us on the data of the latest version. The user must check the suitability and completeness of the information in relation to the specific product use.

This document should not be interpreted as a guarantee of any specific property of the product.

Since the use of the product does not fall directly under our control, the user is obliged to observe the laws and provisions, under his own responsibility, in force concerning safety and hygiene. No responsibility is assumed for improper use.

Provide adequate training for staff in charge of using chemical products.

**CALCULATION METHODS OF THE CLASSIFICATION**

**Chemical and physical hazards:** The classification of the product was derived from the criteria established by the CLP Regulation Annex I Part 2. The methods for assessing the chemical-physical properties are indicated in section 9.

**Health hazards:** The classification of the product is based on the calculation methods indicated in Annex 1 of the CLP Part 3, unless otherwise indicated in section 11.

**Environmental hazards:** The classification of the product is based on the calculation methods indicated in Annex 1 of the CLP Part 4, unless otherwise indicated in section 12.