

## DEGRIPPANT GRAPHITE

### FUNCTIONALITY

**Penetrates, removes rust, lubricates and prevents subsequent blockages**  
**Liquid compound of mineral origin, free from silicone, acid and chlorinated solvents.**  
**Contains colloidal graphite.**

- Penetrates, removes rust: Frees jammed or rusty parts, penetrating by capillarity.
- Lubricates: double lubrication of surfaces with fats and colloidal graphite.
- Eliminates squeaking of springs, hinges, etc.
- Examples of use: Handles, hinges, bolts, nuts, pins, axles, chains, agricultural equipment, etc.

### Technical characteristics

Specifications	Characteristics
Appearance	blackish liquid
Odour	Very slight
Density	0,99.
Solubility	Insoluble in water. Soluble in petroleum-based solvents
Cold-resistant once applied	

### Use

#### **Preparation**

- Shake the bottle or can well.

#### **Directions for use**

- Apply to the area to be lubricated.
- Leave for a few moments and work the mechanism free.
- If an assembly is very badly jammed, do not force it. Repeat the operation and leave for a few hours.

#### **Material cleaning**

- Solvent-based or water-based cleaners

### Tip

When reassembling, protect the assembly with an appropriate lubricant if desired

### Storage

Store in its original, sealed packaging between -5 °C and +40 °C.

At 20 °C, the shelf life of the product in a can is 24 months and 60 months for other packaging as long as it is stored in its original, sealed container.

The Safety Data Sheet is available online at [www.quickfds.com](http://www.quickfds.com). The information provided in this data sheet is given in good faith and is the result of measurements done in our laboratory. Given the number of materials, the quality differences and the diversity of working methods, we recommend that users carry out preliminary testing under actual conditions of use.

This document may be modified without warning in line with changes to the products or according to our knowledge. We therefore recommend that you check that you have the latest version before using the product.