# SAFETY DATA SHEET KROME KLEEN

According to EC Regulation 1907/2006/EC - revision 2015/830

Print Date 13/03/2016

# Creation Date 03/02/2015

Revision No. 2.1 Revision Date 03/01/2016

SECTION 1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1.1. Product identifier	
Product Name	KROME P
Product Code	2336GX1

KLEEN (CLP)

1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended use Stainless Steel Cleaner.

## 1.3. Details of the supplier of the safety data sheet

NCH Belgium Inc. Lennikse Baan 451, B-1070 Anderlecht Tel.: (02) 255 94 30 E-mail address nchbe@nch.com Website address www.ncheurope.com

## 1.4. Emergency telephone number

Tel: 32 2 255 94 30 (available during Office Hours)

# SECTION 2. HAZARDS IDENTIFICATION

# 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No 1272/2008 (CLP/GHS) and its adaptations

This mixture is not classified according to EU Regulation No 1272/2008 Safety data sheet available on request.

## Classification according to EU Directive 67/548EEC - 1999/45 EC

This mixture is not classified according to EU Directive 1999/45/EC

## 2.2. Label elements

## Labelling according to Regulation (EC) No 1272/2008 (CLP/GHS)

EU classification for GHS template Safety data sheet available on request.

For industrial and institutional use only. Keep out of reach of children.

# 2.3. Other hazards

No additional hazards identified.

The components in this formulation do not meet the criteria for classification as PBT or vPvB. As defined under the regulation EC 1907/2006.

## SECTION 3. COMPOSITION / INFORMATION OF INGREDIENTS

Component	CAS-No.	EC No.	EU - REACH	Weight	Classification	EU - GHS/CLP	Notes
			reg number	percent		Classification	
DIPROPYLENE GLYCOL METHYL ETHER	34590-94-8	252-104-2	01-	20 - < 25		-	
			2119450011-60				
PROPYLENE GLYCOL MONOBUTYL ETHER	5131-66-8	225-878-4	01-	5 - < 10	Xi; R36/38	Skin Irrit. 2	
			2119475527-28			(H315)	
						Eye Irrit. 2	
						(H319)	

This mixture contains substances with a Community workplace exposure limit. For any H statements and R phrases mentioned in this section, see the full text in section 16. The GHS/CLP classification for substances are listed once they have been harmonised according to the REACH Regulation No 1907 / 2006.

SECTION 4. FIRST AID MEASURES

## 4.1. Description of first aid measures

# General advice

Get medical attention immediately if symptoms occur.

<u>Eye Contact</u> In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. <u>Skin Contact</u> Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes. <u>Ingestion</u> Rinse mouth with water. If swallowed, seek medical advice immediately and show this container or label.

## 4.2. Most important symptoms and effects, both acute and delayed

<u>Sensitisation</u> No information available. <u>Eye contact</u> May cause irritation as itching and redness. <u>Skin contact</u> Unlikely to be irritant on brief or occasional exposure.

## 4.3. Indication of any immediate medical attention and special treatment needed

<u>Notes to physician</u> Treat symptomatically.

# SECTION 5. FIRE-FIGHTING MEASURES

# 5.1. Extinguishing media

## Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use:. Water spray. Foam. Carbon dioxide (CO2). Dry powder.

## 5.2. Special hazards arising from the substance or mixture

When exposed to high temperatures, the preparation may release dangerous decomposition products such as carbon monoxide and dioxide, smoke and/or nitrogen oxide.

Material can create slippery conditions.

## 5.3. Advice for firefighters

Firefighters should wear a self-contained breathing apparatus and full protective gear.

# SECTION 6. ACCIDENTAL RELEASE MEASURES

## 6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes, and clothing. Use personal protective equipment. Refer to protective measures listed in sections 7 and 8. Prevent further leakage or spillage if safe to do so. Material can create slippery conditions.

## 6.2. Environmental precautions

Avoid release of neat product into surface water and sanitary sewage system.

## 6.3. Methods and material for containment and cleaning up

## Methods for Containment

Contain spillage, soak up with non-combustable absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13). <u>Methods for Cleaning up</u>

## Methods for Cleaning up

Clean preferably with a detergent, do not use solvents.

## 6.4. Reference to other sections

Refer to sections 7, 8 and 13.

SECTION 7. HANDLING AND STORAGE

## 7.1. Precautions for safe handling

Avoid contact with skin, eyes and clothing. Avoid breathing vapours or mists. Do not eat, drink or smoke when using this product. Ensure adequate ventilation.

## 7.2. Conditions for safe storage, including any incompatibilities

Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place.

## 7.3. Specific end use(s)

No information available.

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1. Control parameters

Exposure limits

If vapours, fumes or mists are generated, their concentration in the workplace area should be kept to the lowest reasonable level. For

300mg/m<sup>3</sup> TWA

substances.

Component	European Union	The United Kingdom	France	Germany	Belgium
DIPROPYLENE GLYCOL		STEL: 150 ppm	TWA: 50 ppm	AGW: 50ppm	50 ppm TWA; 308 mg/m <sup>3</sup>
METHYL ETHER		STEL: 924 mg/m <sup>3</sup>	TWA: 308 mg/m <sup>3</sup>	AGW: 310mg/m <sup>3</sup>	TWA
		TWA: 50 ppm	Skin	Peak: 50ppm	
		TWA: 308 mg/m <sup>3</sup>		Peak: 310mg/m <sup>3</sup>	
		Skin		TWA: 50ppm	
				TWA: 310mg/m <sup>3</sup>	
Component	Austria		Switzerland		Romania
DIPROPYLENE GLYCOL	Skin		STEL: 50 ppm		50ppm TWA
METHYL ETHER	STEL: 100 p	pm	STEL: 300 mg/m <sup>3</sup>		)8mg/m <sup>3</sup> TWA

## 8.2. Exposure controls

Engineering Measures

General ventilation is normally adequate.

Personal Protective Equipment

Use personal protection equipment as per Directive 89/686/EEC.

Respiratory Protection

Not required under normal use.

Hand Protection

Wear suitable protective gloves conforming to EN 374. Type of gloves suggested :. Solvent-resistant gloves (butyl-rubber). Nitrile rubber (0.4 mm). Neoprene gloves (0.4 mm). For break through times, refer to glove manufacturers recommendations.

Eye Protection

Safety glasses if the method of use presents the likelihood of eye contact. Approved to EN 166.

TWA: 50 ppm

TWA: 307 mg/m<sup>3</sup>

General hygiene considerations

Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practise. Wash hands before breaks and at the end of workday.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

## 9.1. Information on basic physical and chemical properties

Information below relates to typical values and does not constitute a specification.

Appearance
Physical State
Odour
pH
Melting Point/Range
Boiling Point/Range
Flash Point
Evaporation Rate
Flammability Limits in Air %
Vapour Pressure
Vapor Density

Colorless Liquid Solvent No information available. No information available. 180 °C 76 °C No information available. No information available. No information available. No information available. Specific Gravity Solubility Autoignition Temperature Viscosity Explosive properties Oxidizing Properties VOC Content (%)

TWA: 300 mg/m<sup>3</sup>

0.85 Partially soluble in water No information available. Viscous No information available No information available. 29.9 %

## 9.2. Other information

No other information available

# SECTION 10. STABILITY AND REACTIVITY

## 10.1. Reactivity

Not considered as highly reactive. See further information below. **10.2. Chemical stability** Stable under normal conditions. **10.3. Possibility of hazardous reactions** The mixture itself will not dangerously react or polymerise to create hazardous conditions in normal use. **10.4. Conditions to avoid** No conditions to be specially mentioned. **10.5. Incompatible materials** Oxidising agents. **10.6. Hazardous decomposition products** None under normal storage conditions and use. When exposed to high temperatures, the preparation may release dangerous decomposition products such as carbon monoxide and dioxide, smoke and/or nitrogen oxide.

SECTION 11. TOXICOLOGICAL INFORMATION

# 11.1. Information on toxicological effects

## Product Information

The product itself has not been tested.

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
DIPROPYLENE GLYCOL METHYL ETHER	= 5230 mg/kg(Rat)	= 9500 mg/kg(Rabbit)	
PROPYLENE GLYCOL MONOBUTYL ETHER	= 1900 mg/kg(Rat)		

 Sensitisation

 No information available.

 Skin contact

 Unlikely to be irritant on brief or occasional exposure.

 Eye contact

 May cause irritation as itching and redness.

 Carcinogenicity

 There are no known carcinogenic substances in this product.

 Mutagenic Effects

 There are no known mutagenic substances in this product.

 Reproductive Effects

 There are no known substances in this product.

SECTION 12. ECOLOGICAL INFORMATION

# 12.1. Toxicity

Product Information

The product itself has not been tested.

# Ecotoxicity effects

Contains substance(s) known to be hazardous to the aquatic environment.

Component	Toxicity to Fish	Water Flea	Toxicity to Algae
DIPROPYLENE GLYCOL METHYL	LC50 > 10000 mg/L Pimephales	1919: 48 h Daphnia magna mg/L LC50	
ETHER	promelas 96 h		

## 12.2. Persistence and degradability

Persistence and degradability are substance specific, no test data is available on the constituents of this mixture to degrade or persist in the environment, either through biodegradation or other processes, such as oxidation or hydrolysis.

## 12.3. Bioaccumulative potential

Not likely to bioaccumulate. Component information below.

Component	log Pow
DIPROPYLENE GLYCOL METHYL ETHER	-0.064

# 12.4. Mobility in soil

No information available.

# 12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB. As defined under the regulation EC 1907/2006. **12.6. Other adverse effects** 

No data available.

# SECTION 13. DISPOSAL CONSIDERATIONS

# 13.1. Waste treatment methods

Waste from Residues / Unused Products

Dispose of in accordance with local regulations.

# Contaminated Packaging

Empty remaining contents. Empty containers should be taken for local recycling, recovery or waste disposal. Recycle according to official regulations.

## EWC waste disposal No

The following EWC/ AVV waste codes may be applicable:

07 07 04\* other organic solvents, washing liquids and mother liquors

## Other Information

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific

# SECTION 14. TRANSPORT INFORMATION

14.1, 14.2, 14.3, 14.4. Not classified for transport as dangerous goods

14.5. Environmental hazardsThe mixture is not environmentally hazardous for transport14.6. Special precautions for userNo special precautions.

# 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Packaged product, not typically transported in IBC's.

Additional information

The above information is based on latest transport regulations i.e. ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport.

# SECTION 15. REGULATORY INFORMATION

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

This mixture was classified in compliance with EC Regulation 1272/2008 (CLP) and its adaptations.

This preparation is not classed as hazardous by directive 1999/45/EC. In addition, Directive 2009/2/EC with the 31st Adaptation of Directive 67/548/EEC (Hazardous substances) has been taken into account.

Table of occupational illnesses (FRANCE ONLY):

Component	RG
DIPROPYLENE GLYCOL METHYL ETHER	RG 84
PROPYLENE GLYCOL MONOBUTYL ETHER	RG 84

WGK Classification

Weakly water-endangering (WGK 1), Classification according VwVwS

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out for this mixture by the supplier

## SECTION 16. OTHER INFORMATION

Text of H statements mentioned in Section 3 H315 - Causes skin irritation. H319 - Causes serious eye irritation. Text of R phrases mentioned in Section 3 . R36/38 - Irritating to eyes and skin. Prepared By Austen Pimm Creation Date 03/02/2015 Revision Date 03/01/2016 **Revision Summary** CLP update. Abbreviations REACH: Registration Evaluation Authorisation Restriction of Chemicals EU: European Union EC: European community EEC: European Economic Community UN: United Nations CAS: Chemical Abstracts Service PBT: Persistent Bioaccumulative Toxic vPvB: verv Persistent verv Bioaccumulative LC50: Lethal concentration, 50 percent LD50 : Lethal dose, 50 percent EC50: Effective concentration, 50 percent LogPow: LogP octanol/water VwVwS: Verwaltungsvorschrift wassergefährdende Stoffe (Administrative order relating to substances hazardous to water - Germany) WGK: Wassergefahrdungsklasse (Water Hazard Class - Germany). AVV: Abfallverzeichnis-Verordnung (Waste Code - Germany) ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route (European agreement governing the international carriage of dangerous goods by road) IMDG: International Maritime Dangerous Goods IATA: International Air Transport Association ICAO: International Civil Aviation Organisation RID: Reglement international concernant le transport des merchandises dangereuses par chemin der fer (Regulations concerning the International carriage of Dangerous goods by rail) EmS: Emergency Response Procedures for Ships Carrying Dangerous Goods ERG: Emergency Response Guidebook IUCLID / RTECS International Uniform Chemical Information Database / Registry of Toxic Effects of Chemical Substances GHS: Globally Harmonised System of classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances VOC: Volatile Organic Chemical w/w: weight for weight DMSO: Dimethyl sulphoxide OECD: Organization for Economic Cooperation and Development STEL: Short Term Exposure Limit TWA: Time Weighted Average **Further Information** 

Component test results displayed in sections 11 and 12 are typically supplied by Chemadvisor and assembled from publicly available literature sources e.g. IUCLID / RTECS

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations

# Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet