

category 3

REPA Italia s.r.l. a socio unico

Revision nr. 4.2

Dated 03/11/2023

CLEAR CLEAN PLUS

Page n. 1/17

Replaced revision: 4.1 (Printed on: 01/03/2023)

			· · · ·
	Safety Data	Sheet	
According to Approx !!!		D20/878 and to Annex II to	
According to Annex II	to REACH - Regulation 20		UK REACH
SECTION 1. Identification of the subs	stance/mixture an	d of the company/	undertaking
1.1. Product identifier			
Product name	CLEAR CLEAN PLUS		
UFI code	RH18-1WGK-A80H-N16	64	
1.2. Polevent identified uses of the substance or m	ixture and uses advised	lagoinot	
1.2. Relevant identified uses of the substance or m Intended use Liquid dishwasher de		ragainst	
1.3. Details of the supplier of the safety data sheet			
Name	REPA Italia s.r.l. a soci	o unico	
Full address District and Country	Via Voltri, 80 47522 Cesena (FC)		
	Italia		
	Tel. +39 0547 341111		
	Fax +39 0547 341110		
e-mail address of the competent person	info.it@repagroup.com	1	
responsible for the Safety Data Sheet	Dr. Raggi Leonardo - T		
1.4. Emergency telephone number For urgent inquiries refer to	Roma "		
Tor urgent inquines refer to	Osp. Pediatrico Bambi	no Gesù"	
	DEA tel 06 6859		
	Foggia Az. Osp. Uni		tel 800183459
	Napoli Az. Osp. "A. Roma CAV Policlini	co "Umberto I"	tel 081-5453333 tel 06-49978000
		co "A. Gemelli"	tel 06-3054343
		eggi" U.O. Toss. Medica	tel 055-7947819
	Pavia CAV C.Naz. Ir Milano Osp. Niguard	nf. Tossicologica	tel 0382-24444 tel 02-66101029
	BergamoAz. Osp. Papa		tel 800883300
	Verona Az. Ospedalie		tel 800011858
SECTION 2. Hazards identification			
2.1. Classification of the substance or mixture			
The product is classified as hazardous pursuant to the supplements). The product thus requires a safety datast	e provisions set forth in	(EC) Regulation 1272/200	8 (CLP) (and subsequent amendments a ation 2020/878
Any additional information concerning the risks for health			
-			
Hazard classification and indication:		.	
Skin corrosion, category 1A Serious eye damage, category 1	H314 H318	Causes severe ski Causes serious ey	n burns and eye damage. Adamage
Hazardous to the aquatic environment, chronic toxicity		-	life with long lasting effects.

		DA Italia a r.L. a again unica	Revision nr. 4.2
LI REPA		PA Italia s.r.l. a socio unico	
			Dated 03/11/2023
		CLEAR CLEAN PLUS	
			Page n. 2/17
			Replaced revision: 4.1 (Printed on: 01/03/2023)
2.2. Label elements			
	Demulation 4070/0000 (OI		
Hazard labelling pursuant to EC	Regulation 1272/2008 (CI	LP) and subsequent amendments and supplements.	
Hazard pictograms:			
•			
Signal words: Da	anger		
Hazard statements:			
	auses severe skin burns an armful to aquatic life with lo		
EUH206 Wa	arning! Do not use together	r with other products. May release dangerous gases	(chlorine).
Precautionary statements:			
i recautionary statements.			
		gas / mist / vapours / spray. vith water for several minutes. Remove contact lens	ses if present and easy to do Continue
rins	sing.		
P303+P361+P353 IF P280 We	ON SKIN (or hair): Take of ear protective gloves/ prote	ff immediately all contaminated clothing. Rinse skin w active clothing / eye protection / face protection.	vith water [or shower].
	mediately call a POISON C ash thoroughly after ha		
		noning.	
	DTASSIUM HYDROXIDE		
2.3. Other hazards			
On the basis of sucilable data t			
On the basis of available data, t	ne product does not contai	in any PBT or vPvB in percentage ≥ than 0,1%.	
The product does not contain su	ubstances with endocrine d	lisrupting properties in concentration $\geq 0.1\%$.	
SECTION 2 Common		en in mediente	
SECTION 3. Compos	sition/information (on ingredients	
3.2. Mixtures			
Contains:			
Identification	x = Conc. %	Classification (EC) 1272/2008 (CLP)	
POTASSIUM HYDROXIDE			
INDEX 019-002-00-8	10 ≤ x < 15	Met. Corr. 1 H290, Acute Tox. 4 H302, Skin Corr.	1A H314, Eye Dam. 1 H318

J REPA	R	EPA Italia s.r.l. a socio unico	Revision nr. 4.2
			Dated 03/11/2023
		CLEAR CLEAN PLUS	
			Page n. 3/17
			Replaced revision: 4.1 (Printed on: 01/03/2023)
EC 215-181-3			0/ Euro Dama 4 11240: N
EC 215-161-3		Skin Corr. 1B H314: ≥ 2%, Skin Irrit. 2 H315: ≥ 0,5 2%, Eye Irrit. 2 H319: ≥ 0,5%	5%, Eye Dam. 1 H316. ≥
CAS 1310-58-3		LD50 Oral: 333 mg/kg	
REACH Reg. 01-2119487136-33			
SODIUM HYPOCHLORITE (100% - active chlorine)			
INDEX 017-011-00-1	1≤x< 2,5	Met. Corr. 1 H290, Skin Corr. 1B H314, Eye Dam. H400 M=10, Aquatic Chronic 1 H410 M=1, EUH03 according to Annex VI to the CLP Regulation: B	
EC 231-668-3		according to Annex VI to the OEF Regulation. B	
CAS 7681-52-9			
REACH Reg. 01-2119488154-34			
SODIUM TRIPHOSPHATE PENTABASIC INDEX -	0≤x< 5	Substance with a community workplace exposure	limit.
EC 231-838-7	· ·· ·		
CAS 7758-29-4			
REACH Reg. 01-2119430450-54			

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE



Revision nr. 4.2

Dated 03/11/2023

CLEAR CLEAN PLUS

Page n. 4/17

Replaced revision: 4.1 (Printed on: 01/03/2023)

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Ensure that there is an adequate earthing system for the equipment and personnel. Avoid contact with eyes and skin. Do not breathe powders, vapours or mists. Do not eat, drink or smoke during use. Wash hands after use. Avoid leakage of the product into the environment.

ATTENTION: the product irreversibly stains clothing. ATTENTION: DO NOT TRANSFER INTO CONTAINERS OTHER THAN THE ORIGINAL. RISK OF FATAL ERRORS EXCHANGE WITH DRINKS.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store in a ventilated and dry place, far away from sources of ignition. Keep containers well sealed. Keep the product in clearly labelled containers. Avoid overheating. Avoid violent blows. Keep containers away from any incompatible materials, see section 10 for details.

Keep away from acid and reducing products

7.3. Specific end use(s)



CLEAR CLEAN PLUS

Revision nr. 4.2

Dated 03/11/2023

Page n. 5/17 Replaced revision: 4.1 (Printed on: 01/03/2023)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

FRA GBR EU	España France United Kingdom OEL EU TLV-ACGIH		Valeurs limites d EH40/2005 Worl Directive (EU) 20 Directive (EU) 20	l'exposition profes kplace exposure li 022/431; Directive	mits (Fourth Editi (EU) 2019/1831; re (EU) 2017/164;	ents chimiques e ion 2020) ; Directive (EU) 2 ; Directive 2009/	en France. ED 98 2019/130; Direc '161/EU; Directiv	84 - INRS tive (EU) 2019/983 ve 2006/15/EC; Di	
	ILV-AUGIII								
Threshold Type	d Limit Value	Country	TWA/8h		STEL/15min		Remarks		
			mg/m3	ppm	mg/m3	ppm	Observati	ions	
VLA		ESP	1		4		RESP		
VLEP		FRA			2				
WEL		GBR			2				
TLV-ACGIH					2 (C)				
Health - D	erived no-effect le	evel - DNEL / D Effects on	MEL			Effects on			
Route of exp		consumers	At- ovotomio	Ohmenia lagal	Obrenie	workers	Ata	Observia la cal	Obernia
Route of ext	posure	Acute local	Acute systemic	Chronic local	Chronic	Acute local	Acute	Chronic local	Chronic
					systemic		systemic		systemic
Inhalation			,		systemic		systemic	1 mg/mc	VND
					systemic		systemic	1 mg/mc	
Inhalation SODIUM H	HYPOCHLORITE				systemic		systemic	1 mg/mc	
Inhalation SODIUM H Predicted no	o-effect concentration	- PNEC			·		systemic	1 mg/mc	
Inhalation SODIUM H Predicted no		- PNEC			systemic 0,03	mg		1 mg/mc	
Inhalation SODIUM F Predicted no Normal valu	o-effect concentration	- PNEC sms evel - DNEL / D			·	-		1 mg/mc	
Inhalation SODIUM F Predicted no Normal valu	o-effect concentration ie of STP microorgani	- PNEC			·	mg Effects on workers		1 mg/mc	
Inhalation SODIUM F Predicted no Normal valu	o-effect concentration le of STP microorgani Perived no-effect le	- PNEC sms evel - DNEL / D Effects on		Chronic local	·	Effects on		1 mg/mc	
Inhalation SODIUM I Predicted no Normal valu Health - D	o-effect concentration le of STP microorgani Perived no-effect le	- PNEC sms evel - DNEL / D Effects on consumers	DMEL	Chronic local	0,03 Chronic	Effects on workers	/l Acute		VND
Inhalation SODIUM H Predicted no Normal valu Health - D Route of exp	o-effect concentration le of STP microorgani Perived no-effect le	- PNEC sms evel - DNEL / D Effects on consumers	DMEL	Chronic local	0,03 Chronic	Effects on workers Acute local	/l Acute systemic		VND
Inhalation SODIUM I Predicted no Normal valu Health - D Route of exp Inhalation SODIUM 1	o-effect concentration le of STP microorgani berived no-effect le posure TRIPHOSPHATE P	- PNEC sms evel - DNEL / D Effects on consumers Acute local	DMEL	Chronic local	0,03 Chronic	Effects on workers Acute local	/l Acute systemic		VND
Inhalation SODIUM I Predicted no Normal valu Health - D Route of exp Inhalation SODIUM I Threshold	o-effect concentration le of STP microorgani berived no-effect le posure	- PNEC sms evel - DNEL / D Effects on consumers Acute local	DMEL Acute systemic	Chronic local	0,03 Chronic systemic	Effects on workers Acute local	/I Acute systemic 3,1 mg/mc	Chronic local	VND
Inhalation SODIUM I Predicted no Normal valu Health - D Route of exp Inhalation SODIUM 1	o-effect concentration le of STP microorgani berived no-effect le posure TRIPHOSPHATE P	- PNEC sms evel - DNEL / D Effects on consumers Acute local	DMEL Acute systemic		0,03 Chronic systemic STEL/15min	Effects on workers Acute local 3,1 mg/mc	/l Acute systemic	Chronic local	VND
Inhalation SODIUM I Predicted no Normal valu Health - D Route of exp Inhalation SODIUM I Threshold Type	o-effect concentration le of STP microorgani berived no-effect le posure TRIPHOSPHATE P	- PNEC sms evel - DNEL / D Effects on consumers Acute local PENTABASIC Country	DMEL Acute systemic TWA/8h mg/m3	Chronic local ppm	0,03 Chronic systemic	Effects on workers Acute local	/l Acute systemic 3,1 mg/mc Remarks Observati	Chronic local	VND
Inhalation SODIUM I Predicted no Normal valu Health - D Route of exp Inhalation SODIUM I Threshold	o-effect concentration le of STP microorgani berived no-effect le posure TRIPHOSPHATE P	- PNEC sms evel - DNEL / D Effects on consumers Acute local	DMEL Acute systemic		0,03 Chronic systemic STEL/15min	Effects on workers Acute local 3,1 mg/mc	// Acute systemic 3,1 mg/mc Remarks	Chronic local	VND
Inhalation SODIUM H Predicted no Normal valu Health - D Route of exp Inhalation SODIUM 1 Threshold Type OEL	o-effect concentration le of STP microorgani berived no-effect le posure TRIPHOSPHATE P	- PNEC sms evel - DNEL / D Effects on consumers Acute local PENTABASIC Country EU	DMEL Acute systemic TWA/8h mg/m3		0,03 Chronic systemic STEL/15min	Effects on workers Acute local 3,1 mg/mc	/l Acute systemic 3,1 mg/mc Remarks Observati	Chronic local	VND
Inhalation SODIUM I Predicted no Normal valu Health - D Route of exp Inhalation SODIUM I Threshold Type OEL Predicted no	o-effect concentration le of STP microorgani Perived no-effect le posure TRIPHOSPHATE P d Limit Value	- PNEC sms evel - DNEL / D Effects on consumers Acute local PENTABASIC Country EU	DMEL Acute systemic TWA/8h mg/m3		0,03 Chronic systemic STEL/15min	Effects on workers Acute local 3,1 mg/mc	// Acute systemic 3,1 mg/mc Remarks Observati RESP	Chronic local	VND
Inhalation SODIUM I Predicted no Normal valu Health - D Route of exp Inhalation SODIUM I Threshold Type OEL Predicted no Normal valu	o-effect concentration le of STP microorgani berived no-effect le posure TRIPHOSPHATE P d Limit Value	- PNEC sms evel - DNEL / D Effects on consumers Acute local PENTABASIC Country EU	DMEL Acute systemic TWA/8h mg/m3		0,03 Chronic systemic STEL/15min mg/m3	Effects on workers Acute local 3,1 mg/mc ppm	// Acute systemic 3,1 mg/mc Remarks Observati RESP	Chronic local	VND
Inhalation SODIUM I Predicted no Normal valu Health - D Route of exp Inhalation SODIUM I Threshold Type OEL Predicted no Normal valu Normal valu	o-effect concentration le of STP microorgani berived no-effect le posure TRIPHOSPHATE P d Limit Value	- PNEC sms evel - DNEL / D Effects on consumers Acute local PENTABASIC Country EU - PNEC	DMEL Acute systemic TWA/8h mg/m3		0,03 Chronic systemic STEL/15min mg/m3 0,005	Effects on workers Acute local 3,1 mg/mc ppm	// Acute systemic 3,1 mg/mc Remarks Observati RESP //	Chronic local	VND



Revision nr. 4.2

Dated 03/11/2023

CLEAR CLEAN PLUS

Page n. 6/17

Replaced revision: 4.1 (Printed on: 01/03/2023)

	I							
Normal value for the terrestrial co	ompartment			0,14	mg	/kg		
Health - Derived no-effect I		MEL						
	Effects on consumers				Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic	Acute local	Acute	Chronic local	Chronic
Inhalation				systemic		systemic 0,661 mg/m3		systemic 0,661 mg/m3
Skin						0,375		0,375
						mg/kg/d		mg/kg/d
Legend:			=	TUODA				
(C) = CEILING ; INHAL = In	halable Fraction	; RESP = Res	pirable Fraction	; THORA :	= Thoracic Fract	lion.		
VND = hazard identified but no medium hazard ; HIGH = hig		vailable ; NEA	= no exposure	expected ;	NPI = no hazaro	d identified ;	LOW = low ha	zard ; MED =
8.2. Exposure controls								
As the use of adequate techn through effective local aspiration When choosing personal prote Personal protective equipment	on. ctive equipment,	ask your chemic	cal substance si	upplier for adv	vice.	a, make sure t	hat the workpla	ace is well aired
Provide an emergency shower	with face and ey	ve wash station.						
HAND PROTECTION Protect hands with category III The following should be consic The work gloves' resistance t duration and type of use.	lered when choo	sing work glove	material: compa					depends on the
SKIN PROTECTION Wear category III professional and water after removing prote		eralls and safety	footwear (see	Regulation 20)16/425 and sta	ndard EN ISC) 20344). Wash	body with soap
EYE PROTECTION Wear a hood visor or protective	e visor combined	with airtight gog	gles (see stand	ard EN 166).				
RESPIRATORY PROTECTION If the threshold value (e.g. TL whose class (1, 2 or 3) must various kinds and/or gases or Respiratory protection devices values considered. The protect If the substance considered is open-circuit compressed air b standard EN 138). For a correct	V-TWA) is exceed be chosen accord vapours containing must be used in tion provided by a odourless or its reathing apparat	ding to the limit ng particulate (ac if the technical r masks is in any o olfactory thresh us (in compliand	of use concent erosol sprays, fu neasures adopt case limited. hold is higher th ce with standard	ration. (see s umes, mists, e ted are not su nan the corres d EN 137) or	tandard EN 143 etc.) combined fi uitable for restri sponding TLV-T external air-inta	887). In the pr Iters are requi cting the work WA and in th	esence of gase red. ker's exposure e case of an e	es or vapours of to the threshold mergency, wear
ENVIRONMENTAL EXPOSUF The emissions generated by r with environmental standards.		ocesses, includi	ng those gener	rated by venti	lation equipmer	nt, should be	checked to ens	ure compliance
Product residues must not be i	ndiscriminatelv d	lisposed of with v	waste water or t	oy dumpina in	waterwavs.			
SECTION 9. Physica		-		,				
9.1. Information on basic p								



Revision nr. 4.2

Dated 03/11/2023

CLEAR CLEAN PLUS

Page n. 7/17

Replaced revision: 4.1 (Printed on: 01/03/2023)

			Replaced revision: 4.1 (Printed on: 01/03/2023)
Properties Appearance	Value liquid	Information	
Colour	straw-coloured		
Odour	caratteristico di Cloro		
Melting point / freezing point	not available		
Initial boiling point	not available		
Flammability	not available		
Lower explosive limit	not available		
Upper explosive limit	not available		
Flash point	not available		
Auto-ignition temperature	not available		
Decomposition temperature	not available		
рН	13	Concentration: 1 %	
Kinematic viscosity	not available		
Solubility	soluble in water		
Partition coefficient: n-octanol/water	not available		
Vapour pressure	not available		
Density and/or relative density	1,15		
Relative vapour density	not available		
Particle characteristics	not applicable		
9.2. Other information			
9.2.1. Information with regard to physical	hazard classes		
Information not available			
9.2.2. Other safety characteristics			
Information not available			
SECTION 10. Stability and re	eactivity		
10.1. Reactivity			
POTASSIUM HYDROXIDE			
May develop: heat.May corrode: metals.			
1			1

10.2. Chemical stability

POTASSIUM HYDROXIDE

Stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions



Revision nr. 4.2

Dated 03/11/2023

CLEAR CLEAN PLUS

Page n. 8/17 Replaced revision: 4.1 (Printed on: 01/03/2023)

Contact with strong acids causes the development of toxic gases.

POTASSIUM HYDROXIDE

Develops hydrogen on contact with: metals. Develops heat on contact with: strong acids. Reacts violently with: water.

10.4. Conditions to avoid

POTASSIUM HYDROXIDE

Avoid exposure to: sources of heat.Keep away from: oxidising agents,acids,flammable substances,halogens,organic substances.Keep away from: lead,aluminium,copper,tin,sulphur,bronze.Absorbs atmospheric CO2.

Unstable on exposure to air. Freezing.

10.5. Incompatible materials

Information not available

10.6. Hazardous decomposition products

POTASSIUM HYDROXIDE

May develop: flammable gases.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification. It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure



CLEAR CLEAN PLUS

Revision nr. 4.2

Dated 03/11/2023

Page n. 9/17 Replaced revision: 4.1 (Printed on: 01/03/2023)

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture: ATE (Oral) of the mixture: ATE (Dermal) of the mixture:

POTASSIUM HYDROXIDE

LD50 (Oral):

SODIUM HYPOCHLORITE

LD50 (Dermal): LD50 (Oral): LC50 (Inhalation vapours):

SODIUM TRIPHOSPHATE PENTABASIC

LD50 (Dermal): LD50 (Oral): LC50 (Inhalation mists/powders):

SKIN CORROSION / IRRITATION

Corrosive for the skin

Classification according to the experimental Ph value

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

Not classified (no significant component) >2000 mg/kg Not classified (no significant component)

333 mg/kg Rat

20000 mg/kg 1100 mg/kg ratto > 10,5 mg/l/1h

> 4640 mg/kg Coniglio> 2000 mg/kg Ratto> 0,39 mg/l/4h Ratto



CLEAR CLEAN PLUS

Revision nr. 4.2

Dated 03/11/2023

Page n. 10/17 Replaced revision: 4.1 (Printed on: 01/03/2023)

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

This product is dangerous for the environment and the aquatic organisms. In the long term, it have negative effects on aquatic environment. **12.1. Toxicity**

SODIUM TRIPHOSPHATE PENTABASIC

LC50 - for Fish EC50 - for Crustacea 1850 mg/l/96h > 100 mg/l/48h Daphnia M.



Revision nr. 4.2

Dated 03/11/2023

CLEAR CLEAN PLUS

Page n. 11/17 Replaced revision: 4.1 (Printed on: 01/03/2023)

SODIUM HYPOCHLORITE		
LC50 - for Fish	0,032 mg/l/96h Oncorhynchus K.	
EC50 - for Crustacea	0,026 mg/l/48h	
Chronic NOEC for Fish	0,04 mg/l	
Chronic NOEC for Crustacea	0,007 mg/l	
Chronic NOEC for Algae / Aquatic Plants	0,02 mg/l	
POTASSIUM HYDROXIDE		
LC50 - for Fish	> 80 mg/l/96h	
12.2. Persistence and degradability		
SODIUM HYPOCHLORITE Not applicable for inorganic substances POTASSIUM HYDROXIDE		
Solubility in water	> 10000 mg/l	
Degradability: information not available		
12.3. Bioaccumulative potential		
Information not available		
12.4. Mobility in soil		
Information not available		

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Waste transportation may be subject to ADR restrictions.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.



CLEAR CLEAN PLUS

Revision nr. 4.2

Dated 03/11/2023

Page n. 12/17 Replaced revision: 4.1 (Printed on: 01/03/2023)

SECTION 14. Transport information

Maximum transportable quantity without driver/vehicle authorization obligations: kg 333.

14.1. UN number or ID number

ADR / RID, IMDG, IATA: 1719

14.2. UN proper shipping name

ADR / RID:	CAUSTIC ALKALI LIQUID, N.O.S. MIXTURE
IMDG:	CAUSTIC ALKALI LIQUID, N.O.S. MIXTURE
IATA:	CAUSTIC ALKALI LIQUID, N.O.S. MIXTURE

14.3. Transport hazard class(es)

ADR / RID:	Class: 8	Label: 8
IMDG:	Class: 8	Label: 8
ΙΑΤΑ:	Class: 8	Label: 8

П



14.4. Packing group

ADR / RID, IMDG, IATA:

14.5. Environmental hazards

ADR / RID:	NO
IMDG:	NO
IATA:	NO

14.6. Special precautions for user

ADR / RID:	HIN - Kemler: Special provision: 274	Limited Quantities: 1 It	Tunnel restriction code: E
IMDG:	EMS: F-A, S-B	Limited Quantities: 1 It	
IATA:	Cargo:	Maximum quantity: -	Packaging instructions: -
	Pass.:	Maximum quantity: -	Packaging instructions: -
	Special provision:	-	



CLEAR CLEAN PLUS

Revision nr. 4.2

Dated 03/11/2023

Page n. 13/17 Replaced revision: 4.1 (Printed on: 01/03/2023)

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information

Composition (648/04/EC): less than 5% phosphates, chlorine-based whiteners, polycarboxylates.

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product Point

Contained substance

Point

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors

3

75

not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage \geq than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.



CLEAR CLEAN PLUS

Revision nr. 4.2

Dated 03/11/2023

Page n. 14/17 Replaced revision: 4.1 (Printed on: 01/03/2023)

15.2. Chemical safety assessment

A chemical safety assessment has been performed for the product

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Met. Corr. 1Substance or mixture corrosive to metals, category 1Acute Tox. 4Acute toxicity, category 4Skin Corr. 1ASkin corrosion, category 1ASkin Corr. 1BSkin corrosion, category 1BEye Dam. 1Serious eye damage, category 1Aquatic Acute 1Hazardous to the aquatic environment, acute toxicity, category 1Aquatic Chronic 1Hazardous to the aquatic environment, chronic toxicity, category 1Aquatic Chronic 3Hazardous to the aquatic environment, chronic toxicity, category 3H290May be corrosive to metals.H302Harmful if swallowed.H314Causes severe skin burns and eye damage.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.EUH031Contact with acids liberates toxic gas.EUH206Warning! Do not use together with other products. May release dangerous gases (chlorine).		
Skin Corr. 1ASkin corrosion, category 1ASkin Corr. 1BSkin corrosion, category 1BEye Dam. 1Serious eye damage, category 1Aquatic Acute 1Hazardous to the aquatic environment, acute toxicity, category 1Aquatic Chronic 1Hazardous to the aquatic environment, chronic toxicity, category 1Aquatic Chronic 3Hazardous to the aquatic environment, chronic toxicity, category 3H290May be corrosive to metals.H302Harmful if swallowed.H314Causes severe skin burns and eye damage.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.EUH031Contact with acids liberates toxic gas.	Met. Corr. 1	Substance or mixture corrosive to metals, category 1
Skin Corr. 1BSkin corrosion, category 1BEye Dam. 1Serious eye damage, category 1Aquatic Acute 1Hazardous to the aquatic environment, acute toxicity, category 1Aquatic Chronic 1Hazardous to the aquatic environment, chronic toxicity, category 1Aquatic Chronic 3Hazardous to the aquatic environment, chronic toxicity, category 3H290May be corrosive to metals.H302Harmful if swallowed.H314Causes severe skin burns and eye damage.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.EUH031Contact with acids liberates toxic gas.	Acute Tox. 4	Acute toxicity, category 4
Eye Dam. 1Serious eye damage, category 1Aquatic Acute 1Hazardous to the aquatic environment, acute toxicity, category 1Aquatic Chronic 1Hazardous to the aquatic environment, chronic toxicity, category 1Aquatic Chronic 3Hazardous to the aquatic environment, chronic toxicity, category 3H290May be corrosive to metals.H302Harmful if swallowed.H314Causes severe skin burns and eye damage.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.EUH031Contact with acids liberates toxic gas.EUH206Warning! Do not use together with other products. May release dangerous gases	Skin Corr. 1A	Skin corrosion, category 1A
Aquatic Acute 1Hazardous to the aquatic environment, acute toxicity, category 1Aquatic Chronic 1Hazardous to the aquatic environment, chronic toxicity, category 1Aquatic Chronic 3Hazardous to the aquatic environment, chronic toxicity, category 3H290May be corrosive to metals.H302Harmful if swallowed.H314Causes severe skin burns and eye damage.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.EUH031Contact with acids liberates toxic gas.EUH206Warning! Do not use together with other products. May release dangerous gases	Skin Corr. 1B	Skin corrosion, category 1B
Aquatic Chronic 1Hazardous to the aquatic environment, chronic toxicity, category 1Aquatic Chronic 3Hazardous to the aquatic environment, chronic toxicity, category 3H290May be corrosive to metals.H302Harmful if swallowed.H314Causes severe skin burns and eye damage.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.EUH031Contact with acids liberates toxic gas.EUH206Warning! Do not use together with other products. May release dangerous gases	Eye Dam. 1	Serious eye damage, category 1
Aquatic Chronic 3Hazardous to the aquatic environment, chronic toxicity, category 3H290May be corrosive to metals.H302Harmful if swallowed.H314Causes severe skin burns and eye damage.H318Causes serious eye damage.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.EUH031Contact with acids liberates toxic gas.EUH206Warning! Do not use together with other products. May release dangerous gases	Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
H290May be corrosive to metals.H302Harmful if swallowed.H314Causes severe skin burns and eye damage.H318Causes serious eye damage.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.EUH031Contact with acids liberates toxic gas.EUH206Warning! Do not use together with other products. May release dangerous gases	Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
H302Harmful if swallowed.H314Causes severe skin burns and eye damage.H318Causes serious eye damage.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.EUH031Contact with acids liberates toxic gas.EUH206Warning! Do not use together with other products. May release dangerous gases	Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H314Causes severe skin burns and eye damage.H318Causes serious eye damage.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.EUH031Contact with acids liberates toxic gas.EUH206Warning! Do not use together with other products. May release dangerous gases	H290	May be corrosive to metals.
H318Causes serious eye damage.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.EUH031Contact with acids liberates toxic gas.EUH206Warning! Do not use together with other products. May release dangerous gases	H302	Harmful if swallowed.
H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.EUH031Contact with acids liberates toxic gas.EUH206Warning! Do not use together with other products. May release dangerous gases	H314	Causes severe skin burns and eye damage.
H410Very toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.EUH031Contact with acids liberates toxic gas.EUH206Warning! Do not use together with other products. May release dangerous gases	H318	Causes serious eye damage.
H412Harmful to aquatic life with long lasting effects.EUH031Contact with acids liberates toxic gas.EUH206Warning! Do not use together with other products. May release dangerous gases	H400	Very toxic to aquatic life.
EUH031Contact with acids liberates toxic gas.EUH206Warning! Do not use together with other products. May release dangerous gases	H410	Very toxic to aquatic life with long lasting effects.
EUH206 Warning! Do not use together with other products. May release dangerous gases	H412	Harmful to aquatic life with long lasting effects.
	EUH031	Contact with acids liberates toxic gas.
	EUH206	

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road

ATE: Acute Toxicity Estimate

CAS: Chemical Abstract Service Number

- CE50: Effective concentration (required to induce a 50% effect)

- CE: Identifier in ESIS (European archive of existing substances)

CLP: Regulation (EC) 1272/2008

DNEL: Derived No Effect Level

EmS: Emergency Schedule

GHS: Globally Harmonized System of classification and labeling of chemicals

- · IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit

	REPA Italia s.r.l. a socio unico	Revision nr. 4.2
J REPA		Dated 03/11/2023
	CLEAR CLEAN PLUS	<u> </u>
		Page n. 15/17
		Replaced revision: 4.1 (Printed on: 01/03/2023)
 TWA STEL: Short-term exposure linr VOC: Volatile organic Compounds vPvB: Very Persistent and very Bioa WGK: Water hazard classes (Germanne) 	ccumulative as for REACH Regulation	
GENERAL BIBLIOGRAPHY 1. Regulation (EC) 1907/2006 (REAC 2. Regulation (EC) 1272/2008 (CLP) of 3. Regulation (EU) 2020/878 (II Annex 4. Regulation (EU) 2020/878 (II Annex 4. Regulation (EU) 286/2011 (II Atp. C 5. Regulation (EU) 286/2011 (II Atp. C 6. Regulation (EU) 286/2011 (II Atp. C 7. Regulation (EU) 487/2013 (IV Atp. 8. Regulation (EU) 944/2013 (V Atp. C 9. Regulation (EU) 2015/1221 (VII At 10. Regulation (EU) 2015/1221 (VII At 11. Regulation (EU) 2016/918 (VIII At 12. Regulation (EU) 2016/918 (VIII At 13. Regulation (EU) 2018/69 (XI Atp. 14. Regulation (EU) 2019/521 (XII Atp. 15. Regulation (EU) 2019/521 (XII Atp. 16. Delegated Regulation (UE) 2020/2 17. Regulation (EU) 2019/1148 18. Delegated Regulation (UE) 2020/2 19. Delegated Regulation (UE) 2020/2 20. Delegated Regulation (UE) 2021/2 21. Delegated Regulation (UE) 2021/2 22. Delegated Regulation (UE) 2021/2 23. Delegated Regulation (UE) 2021/2 24. The Merck Index 10th Edition - Handling Chemical Safety 1 INRS - Fiche Toxicologique (toxicold - Patty - Industrial Hygiene and Toxico - N.I. Sax - Dangerous properties of Ir - IFA GESTIS website - ECHA website - Database of SDS models for chemic	of the European Parliament x of REACH Regulation) LP) of the European Parliament CLP) of the European Parliament CLP) of the European Parliament CLP) of the European Parliament CLP) of the European Parliament tp. CLP) of the European Parliament p. CLP) of the European Parliament p. CLP) of the European Parliament p. CLP) CLP) CLP) . CLP) . CLP) 217 (XIV Atp. CLP) 2132 (XV Atp. CLP) 349 (XVII Atp. CLP) 349 (XVII Atp. CLP) 352 (XVIII Atp. CLP) 352 (XVIII Atp. CLP) 353 (XVI Atp. CLP) 354 (XVII Atp. CLP) 355 (XVIII Atp. CLP) 356 (XVII Atp. CLP) 357 (XVI Atp. CLP) 359 (XVIII Atp. CLP) 359 (XVIII Atp. CLP)	
Note for users: The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product. This document must not be regarded as a guarantee on any specific product property. The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products. CALCULATION METHODS FOR CLASSIFICATION Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9. Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11. Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.		
Changes to previous review: The following sections were modified: 01.		



Revision nr. 4.2

Dated 03/11/2023

CLEAR CLEAN PLUS

Page n. 16/17

Replaced revision: 4.1 (Printed on: 01/03/2023)

APPENDIX: EXPOSURE SCENARIOS- N.2

PHASE: TRANSFER OF PROFESSIONAL PRODUCT VIA A DEDICATED SYSTEM (BOTTLE/MACHINE)(ref. AISE GEIS. 8b. 1.a.v1)

Transfer of a product in a fully closed system. No exposure for the worker. (e.g.: Venturi system or dosing pump)

OPERATING CONDITIONS

Maximum duration	40 minutes/day
Process conditions	Process performed at room temperature
	Local exhaust ventilation (LEV) is not required; generally
	efficient ventilation in the work place is sufficient

RISK MANAGEMENT MEASURES

۲v			
	Conditions and measures concerning personal protective	Personal protective equipment is not required.	
	equipment (PPE), health and hygiene evaluation		

GENERAL ADVICE

Do not eat, drink, smoke or use live flames	
Wash hands after use. Avoid contact with damaged skin Do not mix with other products	
Leakage instructions	Dilute with water and collect
Additional advice	Follow the instructions on the label, the technical sheet and the SDS in sect. 7.

ENVIRONMENTAL MEASURES: Prevent the non-diluted product from reaching surface water

PRODUCT COMPOSITION PROPERTIES

The classification of the concentrated product can be found on the label and in sect. 2 of the SDS The product classification is based on the ingredient classification. The list of ingredients contributing to the product classification can be found in sect. 3 of the SDS.

The exposure evaluation is based on the key limit values of the ingredients indicated in sect. 8 of the SDS

The product may contain sensitizing components which may cause an allergic reaction in some people. Sect. 15 of the SDS lists these sensitizing components, where applicable to the product.

USE DESCRIPTORS

SU 22: Professional uses

PC 35: Washing and cleaning products (including solvent-based products)

PROC 8b: Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities

ERC 8a: Wide dispersive indoor use of processing aids in open systems



Revision nr. 4.2

Dated 03/11/2023

CLEAR CLEAN PLUS

Page n. 17/17

Replaced revision: 4.1 (Printed on: 01/03/2023)

APPENDIX: EXPOSURE SCENARIOS-N.3

PHASE: USING A PROFESSIONAL PRODUCT IN A CLOSED SYSTEM (ref AISE GEIS 1.1.a.V1) Use of a product in a fully closed system. The worker is not exposed to the product or its vapors (e.g. CIP washing, washing machines)

OPERATING CONDITIONS

Maximum duration	480 minutes/day
Process conditions	Process performed at room temperature
	Local exhaust ventilation (LEV) is not required; generally
	efficient ventilation in the work place is sufficient

RISK MANAGEMENT MEASURES

Conditions and measures concerning personal protective	Personal protective equipment is not required.
equipment (PPE), health and hygiene evaluation	

GENERAL ADVICE

Do not eat, drink, smoke or use live flames	
Wash hands after use. Avoid contact with damaged skin Do not mix with other products	*! 違 ¥
Leakage instructions	Dilute with water and collect
Additional advice	Follow the instructions on the label, the technical sheet and the SDS in sect. 7.

ENVIRONMENTAL MEASURES: Prevent the non-diluted product from reaching surface water PRODUCT COMPOSITION PROPERTIES

The classification of the concentrated product can be found on the label and in sect. 2 of the SDS

The product classification is based on the ingredient classification. The list of ingredients contributing to the product classification can be found in sect. 3 of the SDS.

The exposure evaluation is based on the key limit values of the ingredients indicated in sect. 8 of the SDS

The product may contain sensitizing components which may cause an allergic reaction in some people. Sect. 15 of the SDS lists these sensitizing components, where applicable to the product.

USE DESCRIPTORS

SU 22: Professional uses

PC 35: Washing and cleaning products (including solvent-based products)

PROC 1: Use in a closed circuit; exposure improbable

ERC 8a: Wide dispersive indoor use of processing aids in open systems