

Revision nr. 4.2

Dated 10/10/2023

COFFEE CLEAN

Page n. 1/19

			Replaced revision:4.1 (Printed on: 01/03/2023)
	Safety Data Sh		
Accordin	g to Annex II to REACH - Regulation 2020/878	and to Annex II to UK REAC	Н
SECTION 1. Identification of	the substance/mixture and of t	ne company/underta	aking
1.1. Product identifier			
Product name UFI code	COFFEE CLEAN PMS8-6W5C-Q80M-KUXG		
1.2. Relevant identified uses of the sul	ostance or mixture and uses advised agains	t	
Intended use Special c	etergent for coffee machines cleaning.		
1.3. Details of the supplier of the safet Name	y data sheet REPA Italia s.r.l. a socio unico		
Full address District and Country	Via Voltri, 80 47522 Cesena (FC)		
	Tel. +39 0547 341111 Fax +39 0547 341110		
e-mail address of the competent person	info.it@repagroup.com		
responsible for the Safety Data Sheet	Dr. Raggi Leonardo - Tel. +39 (1347 341111	
1.4. Emergency telephone number			
1.4. Emergency telephone number For urgent inquiries refer to	Roma "	. "	
	Osp. Pediatrico Bambino Gesù DEA tel 06 68593726		02450
	Foggia Az. Osp. Univ. Fogg Napoli Az. Osp. "A. Cardare	lli" tel 081-5	5453333
	Roma CAV Policlinico "Uml Roma CAV Policlinico "A. G	emelli"	tel 06-49978000 tel 06-3054343
	Firenze Az. Osp. "Careggi" U Pavia CAV C.Naz. Inf. Tossi	icologica	tel 055-7947819 tel 0382-24444
	Milano Osp. Niguarda Ca' Gr BergamoAz. Osp. Papa Giovar	nni XXII	tel 800883300
	Verona Az. Ospedaliera Integ	yrata Verona tel 8000 [°]	11858
SECTION 2. Hazards identif	cation		
.1. Classification of the substance or n	iixture		
he product is classified as hazardous p	ursuant to the provisions set forth in (EC) Re	qulation 1272/2008 (CLP) (and subsequent amendments and
upplements). The product thus requires a	safety datasheet that complies with the provision isks for health and/or the environment are given	ons of (EU) Regulation 2020/	/878.
By classification and labeling: Oecd 438: 2	J13 test		
lazard classification and indication:			
Eye irritation, category 2	H319 (Causes serious eye irritation.	

LI REF		RE	EPA Italia s.r.l. a socio unico	Revision nr. 4.2
				Dated 10/10/2023
			COFFEE CLEAN	Dere n. 2/10
				Page n. 2/19 Replaced revision:4.1 (Printed on: 01/03/2023)
The share 'C' and 's a full second	and the state	· · · · · · · · · · · · · · · · · · ·		Marc 1 1
The classification of the col	mpound, featu	iring an extreme	pH value, is based on the results of an appropriate ir	n vitro test.
2.2. Label elements				
Hazard labelling pursuant t	o EC Regulati	ion 1272/2008 (C	CLP) and subsequent amendments and supplements	
Hazard pictograms:				
Signal words:	Warning			
Hazard statements:				
H319	Causes seri	ious eye irritatior	1.	
Precautionary statements:				
P264		ughly with water		if an and a set to de Continue
P305+P351+P338	rinsing.		ly with water for several minutes. Remove contact ler	ises, il present and easy to do. Continue
P280 P337+P313			tective clothing / eye protection / face protection. medical advice / attention.	
2.3. Other hazards				
On the basis of available da	ata, the produ	ct does not conta	ain any PBT or vPvB in percentage ≥ than 0,1%.	
The product does not conta	ain substances	s with endocrine	disrupting properties in concentration $\geq 0.1\%$.	
SECTION 3. Com	nosition/i	nformation	on ingredients	
	position	mormation		
3.2. Mixtures				
Contains:				
Identification		x = Conc. %	Classification (EC) 1272/2008 (CLP)	
SODIUM CARBONATE				
INDEX -		15 ≤ x < 20	Eye Irrit. 2 H319	
EC 207-838-8				
CAS 497-19-8				
REACH Reg. 01-211948	85498-19			
SODIUM TRIPHOSPHAT	TE			
INDEX -		15 ≤ x < 20	Substance with a community workplace exposure	e limit.

J REPA	RE	EPA Italia s.r.l. a socio unico	Revision nr. 4.2
			Dated 10/10/2023
		COFFEE CLEAN	
			Page n. 3/19
			Replaced revision:4.1 (Printed on: 01/03/2023
EC 231-838-7			
CAS 7758-29-4			
REACH Reg. 01-2119430450-54			
SODIUM PERCARBONATE			
INDEX	15 ≤ x < 20	Ox. Liq. 3 H272, Acute Tox. 4 H302, Eye Dam. 1	H318
EC -		Eye Dam. 1 H318: ≥ 25%, Eye Irrit. 2 H319: ≥ 10	%
CAS 15630-89-4		LD50 Oral: >1034 mg/kg	
REACH Reg. 01-2119457268-30-			
XXXX SODIUM METASILICATE			
INDEX -	5≤x< 10	Met. Corr. 1 H290, Skin Corr. 1B H314, Eye Dam	1 H318 STOT SE 3 H335
EC 229-912-9	5 2 X = 10		1. 111010, 3101 32 311333
CAS 10213-79-3			
REACH Reg. 01-2119449811-37-			
XXX			
SODIUM SALTS OF ALKYLBENZENESULPHONIC ACID			
INDEX -	3≤x< 5	Eye Dam. 1 H318, Skin Irrit. 2 H315, Aquatic Chr	ronic 3 H412
EC 932-051-8			
CAS -			
REACH Reg. 01-2119565112-48- 0000			

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT



Revision nr. 4.2

Dated 10/10/2023

COFFEE CLEAN

Page n. 4/19

Replaced revision:4.1 (Printed on: 01/03/2023)

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products. The product is combustible and, when the powder is released into the air in sufficient concentrations and in the presence of a source of ignition, it can create explosive mixtures with air. Fires may start or get worse by leakage of the solid product from the container, when it reaches high temperatures or through contact with sources of ignition.

SODIUM PERCARBONATE

Sodium percarbonate: contact with flammable substances is dangerous; decomposition with development of O2.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SODIUM PERCARBONATE

Sodium percarbonate: the product is an oxidiser: easily releasing O2 it fuels fires; protect from heat and humidity.

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

If there are no contraindications, spray powder with water to prevent the formation of dust. Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product and place it in containers for recovery or disposal. If there are no contraindications, use jets of water to eliminate product residues.

Make sure the leakage site is well aired. Evaluate the compatibility of the container to be used, by checking section 10. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

SODIUM PERCARBONATE

Sodium percarbonate: avoid hermetically closing the container.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling



Revision nr. 4.2

Dated 10/10/2023

COFFEE CLEAN

Page n. 5/19

Replaced revision:4.1 (Printed on: 01/03/2023)

DO NOT TRANSFER THE PRODUCT TO CONTAINERS DIFFERENT FROM THE ORIGINAL; RISK OF FATAL FOOD EXCHANGE ERRORS.

Ensure that there is an adequate earthing system for the equipment and personnel. Avoid contact with eyes and skin. Do not breathe powders, vapours or mists. Do not eat, drink or smoke during use. Wash hands after use. Avoid leakage of the product into the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store in a ventilated and dry place, far away from sources of ignition. Keep containers well sealed. Keep the product in clearly labelled containers. Avoid overheating. Avoid violent blows. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

EU OEL EU

Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.

SODIUM TRIPHOSPHATE PENTABASIC

Threshold Limit Value	e							
Туре	Country	TWA/8h		STEL/15min		Remarks / Observatio	ons	
		mg/m3	ppm	mg/m3	ppm			
OEL	EU	10				RESP		
Predicted no-effect conce	ntration - PNEC							
Normal value in fresh wate	er			0,005	mg	/I		
Normal value in marine wa	ater			0,005	mg	/I		
Normal value for fresh wa	ter sediment			0,19	mg	/kg		
Normal value for water, in	termittent release			0,05	mg	/I		
Normal value for the terres	strial compartment			0,14	mg	/kg		
Health - Derived no-e	ffect level - DNEL / D	DMEL						
	Effects on consumers				Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Inhalation				oyotonno		0,661 mg/m3		0,661 mg/m3
Skin						0,375 mg/kg/d		0,375 mg/kg/d
SODIUM CARBONAT	—							
Health - Derived no-e		DMEL			Effects on			
	Effects on consumers				Effects on workers			
	Acute local	Acute systemic	Chronic local	Chronic	Acute local	Acute	Chronic local	Chronic
Route of exposure	/ touto loodi			systemic		systemic		systemic

SODIUM PERCARBONATE



Revision nr. 4.2

Dated 10/10/2023

COFFEE CLEAN

Page n. 6/19

Replaced revision:4.1 (Printed on: 01/03/2023) Threshold Limit Value Country TWA/8h STEL/15min Remarks / Туре Observations mg/m3 ppm mg/m3 ppm OEL EU 5 Predicted no-effect concentration - PNEC Normal value for fresh water sediment 0.035 mg/kg 0.035 Normal value for water, intermittent release mg/l Normal value of STP microorganisms 16,24 mg/l Health - Derived no-effect level - DNEL / DMEL Effects on Effects on consumers workers Route of exposure Acute local Acute systemic Chronic local Chronic Acute local Acute Chronic local Chronic systemic systemic systemic Inhalation 5 mg/m3 Skin 12,8 mg/cm2 SODIUM METASILICATE Predicted no-effect concentration - PNEC mg/l Normal value of STP microorganisms 1000 Health - Derived no-effect level - DNEL / DMEL Effects on Effects on consumers workers Route of exposure Acute local Acute systemic Chronic local Chronic Acute local Acute Chronic local Chronic systemic systemic systemic Inhalation 6.22 mg/m3 Skin 1,49 mg/kg bw/d SODIUM SALTS OF ALKYLBENZENESULPHONIC ACID Predicted no-effect concentration - PNEC Normal value in fresh water 0 268 mg/l Normal value in marine water 0,268 mg/l Normal value for fresh water sediment 8,1 mg/kg Normal value for marine water sediment 8,1 mg/kg 0,055 Normal value for water, intermittent release mg/l Normal value of STP microorganisms 5.6 mg/l Normal value for the terrestrial compartment 35 mg/kg Health - Derived no-effect level - DNEL / DMEL Effects on Effects on consumers workers Route of exposure Acute local Acute systemic Chronic local Chronic Acute local Acute Chronic local Chronic systemic systemic systemic 0,425 mg/kg Oral bw/d Inhalation 1,5 mg/m3 6 mg/m3 42,5 mg/kg VND Skin 85 mg/kg/d bw/d Legend: (C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.



Revision nr. 4.2

Dated 10/10/2023

COFFEE CLEAN

Page n. 7/19 Replaced revision:4.1 (Printed on: 01/03/2023)

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

During the risk assessment process, it is essential to take into consideration the ACGIH occupational exposure levels for inert particulate not otherwise classified (PNOC respirable fraction: 3 mg/m3; PNOC inhalable fraction: 10 mg/m3). For values above these limits, use a P type filter, whose class (1, 2 or 3) must be chosen according to the outcome of risk assessment.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

In the case of prolonged contact with the product, protect the hands with penetration-resistant work gloves (see standard EN 374). Work glove material must be chosen according to the use process and the products that may form. Latex gloves may cause sensitivity reactions.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

Use a type P filtering facemask, whose class (1, 2 or 3) and effective need, must be defined according to the outcome of risk assessment (see standard EN 149).

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

	M-1 -	
Properties Appearance	Value powder	Information
Colour Odour	white characteristic	Remark:12 (Hazen)
Melting point / freezing point	not available	
Initial boiling point	not available	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	not available	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
pH Kinematic viscosity	11,32 not available	Concentration: 1 %
Dynamic viscosity	ND	
Solubility Partition coefficient: n-octanol/water	soluble in water ND	Remark:> 99% p/p

J REPA	REPA Italia s.r.l. a socio unico	Revision nr. 4.2
		Dated 10/10/2023
	COFFEE CLEAN	Page n. 8/19
		Replaced revision:4.1 (Printed on: 01/03/2023)
Vapour pressure Density and/or relative density	N.A. mmHg 1,19 g/cm3	
Relative vapour density	ND	
Particle characteristics	not available	
9.2. Other information		
9.2.1. Information with regard to physic	ical hazard classes	
Oxidizing solids		
Oxidizing solids	Remark:Non comburente (34. Manuale UN)	4.1 Test 0.1
9.2.2. Other safety characteristics		
Evaporation rate	ND	
Conductivity	15440 µS/cm (20 °C- 1% p/v)	
SECTION 10. Stability and	d reactivity	
10.1. Reactivity		
There are no particular risks of reaction	with other substances in normal conditions of use.	
SODIUM METASILICATE		
The aqueous solutions act as: strong ba	ases.Corrodes: aluminium,zinc,tin,aluminium alloys,zinc alloys,tin alloys.	
10.2. Chemical stability		
The product is stable in normal conditio	ns of use and storage.	
10.3. Possibility of hazardous reaction	ons	
The powders are potentially explosive v	vhen mixed with air.	
SODIUM METASILICATE		
Reacts violently with: acids.		
10.4. Conditions to avoid		
Avoid environmental dust build-up.		
SODIUM PERCARBONATE		
Sodium percarbonate: exposure to heat	t and humidity.	
10.5. Incompatible materials		



Revision nr. 4.2

Dated 10/10/2023

COFFEE CLEAN

Page n. 9/19 Replaced revision:4.1 (Printed on: 01/03/2023)

SODIUM SALTS OF ALKYLBENZENESULPHONIC ACID

Incompatible with: acids,bases.

10.6. Hazardous decomposition products

SODIUM PERCARBONATE

Sodium percarbonate: development of oxygen which feeds a fire.

SECTION 11. Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture: ATE (Oral) of the mixture: ATE (Dermal) of the mixture:

SODIUM TRIPHOSPHATE PENTABASIC

LD50 (Dermal): LD50 (Oral): Not classified (no significant component) >2000 mg/kg Not classified (no significant component)

> 4640 mg/kg Coniglio > 2000 mg/kg Ratto

LI REPA	REPA Italia s.r.l. a socio unico	Revision nr. 4.2
		Dated 10/10/2023
	COFFEE CLEAN	Page n. 10/19 Replaced revision:4.1 (Printed on: 01/03/2023)
LC50 (Inhalation mists/powders):	> 0,39 mg/l/4h Ratto	
SODIUM CARBONATE		
LD50 (Dermal): LD50 (Oral): LC50 (Inhalation mists/powders):	117 mg/kg Mouse 4090 mg/kg Rat 2,3 mg/l/2h Rat	
SODIUM PERCARBONATE		
LD50 (Oral):	> 1034 mg/kg ratto	
SODIUM METASILICATE		
LD50 (Dermal): LD50 (Oral): LC50 (Inhalation mists/powders):	> 5000 mg/kg > 1150 mg/kg Ratto > 2,06 mg/l	
SODIUM SALTS OF ALKYLBENZENE	ESULPHONIC ACID	
LD50 (Dermal): LD50 (Oral):	> 2000 mg/kg Ratto > 2000 mg/kh ratto	
SKIN CORROSION / IRRITATION		
Does not meet the classification criteri	a for this hazard class	
SERIOUS EYE DAMAGE / IRRITATIC	<u>DN</u>	
Causes serious eye irritation		
slight ocular damages only in one ey epithelium) while in the first part of the Taking account of the histopathologica The validity of these results is dem	ncerning the interpretation of the histopathological results, the sample not f re out of three (slight epithelial erosion, vacuolization in the mid-lower part test (with slit-lamp microscope and pachymeter), the sample doesn't seem to al evaluation, sample falls under the Category 2. onstrated by the non-irritating effects obtained on the negative control e e irreversible corrosive results obtained on the positive control eyes.	, pycnotic nuclei in the top of corneal b be irritating.
RESPIRATORY OR SKIN SENSITISA	TION	
Does not meet the classification criteri	a for this hazard class	
GERM CELL MUTAGENICITY		
Does not meet the classification criteri	a for this hazard class	



Revision nr. 4.2

Dated 10/10/2023

COFFEE CLEAN

Page n. 11/19

Replaced revision:4.1 (Printed on: 01/03/2023)

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

12.1. Toxicity

SODIUM TRIPHOSPHATE PENTABASIC	
LC50 - for Fish	1850 mg/l/96h
EC50 - for Crustacea	> 100 mg/l/48h Daphnia M.
SODIUM PERCARBONATE	
LC50 - for Fish	> 70,7 mg/l/96h Pimephales P.

SODIUM SALTS OF ALKYLBENZENESULPHONIC ACID

LI REPA

Revision nr. 4.2

Dated 10/10/2023

COFFEE CLEAN

Page n. 12/19 Replaced revision:4.1 (Printed on: 01/03/2023)

	Replaced revision:4.1 (Printed on: 01/03/2023)
LC50 - for Fish	> 1 mg/l/96h Cyprinus Carpio
EC50 - for Crustacea	> 1 mg/l/48h Daphnia m.
EC50 - for Algae / Aquatic Plants	> 10 mg/l/72h Desmodesmus subspicatus
SODIUM CARBONATE	
LC50 - for Fish	> 300 mg/l/96h
EC50 - for Crustacea	200 mg/l/48h
SODIUM METASILICATE	
LC50 - for Fish	> 210 mg/l/96h Brachydanio R.
EC50 - for Crustacea	1700 mg/l/48h
EC50 - for Algae / Aquatic Plants	> 207 mg/l/72h
12.2. Persistence and degradability	
SODIUM SALTS OF ALKYLBENZENESULPHONIC ACID Rapidly degradable SODIUM CARBONATE	
Solubility in water	1000 - 10000 mg/l
Degradability: information not availab	le
The product contains substances tha 12.3. Bioaccumulative potential	t meet the biodegradability requirements prescribed by Reg 648/04/CE.
Information not available	
12.4. Mobility in soil	
Information not available	
12.5. Results of PBT and vPvB asses	ssment
On the basis of available data, the proc	duct does not contain any PBT or vPvB in percentage ≥ than 0,1%.
12.6. Endocrine disrupting propertie	S
Based on the available data, the produced with environmental effects under evaluation	uct does not contain substances listed in the main European lists of potential or suspected endocrine disruptors ation.
12.7. Other adverse effects	
Information not available	
SECTION 13. Disposal co	nsiderations
13.1. Waste treatment methods	

LI REPA	REPA Italia s.r.l. a socio unico	Revision nr. 4.2
		Dated 10/10/2023
	COFFEE CLEAN	
		Page n. 13/19
		Replaced revision:4.1 (Printed on: 01/03/2023)
	residues should be considered special hazardous waste. The hazard level of	f waste containing this product should be
	ough an authorised waste management firm, in compliance with national and loc	cal regulations.
CONTAMINATED PACKAGING Contaminated packaging must b	e recovered or disposed of in compliance with national waste management reg	ulations.
SECTION 14. Transp	ort information	
_		
The product is not dangerous u	nder current provisions of the Code of International Carriage of Dangerous Go	ods by Road (ADR) and by Rail (RID), of
	erous Goods Code (IMDG), and of the International Air Transport Association (I	
14.1. UN number or ID number	r	
not applicable		
14.2. UN proper shipping nam	e	
not applicable		
14.3. Transport hazard class(e	rs)	
not applicable		
14.4. Packing group		
5554		
not applicable		
14.5. Environmental hazards		
not applicable		
14.6. Special precautions for ι	ISPL	
not applicable		
14.7 Maritime transport in bui	k according to IMO instruments	



Revision nr. 4.2

Dated 10/10/2023

COFFEE CLEAN

Page n. 14/19 Replaced revision:4.1 (Printed on: 01/03/2023)

Information not relevant

SECTION 15. Regulatory information

Composition (648/04/EC): inf. 5%: anionic surfactants; 15-30%: phosphates, oxygen-based whiteners, .

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

None

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors

not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage \geq than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has been performed for the product



Revision nr. 4.2

Dated 10/10/2023

COFFEE CLEAN

Page n. 15/19 Replaced revision:4.1 (Printed on: 01/03/2023)

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Ox. Liq. 3	Oxidising liquid, category 3
Met. Corr. 1	Substance or mixture corrosive to metals, category 1
Acute Tox. 4	Acute toxicity, category 4
Skin Corr. 1B	Skin corrosion, category 1B
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- · CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- · INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

|--|

Revision nr. 4.2

Dated 10/10/2023

COFFEE CLEAN

Page n. 16/19

Replaced revision:4.1 (Printed on: 01/03/2023)

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament

2. Regulation (EC) 1272/2008 (CLP) of the European Parliament

3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)

Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament

Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament 5.

Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament 6

8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament

9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament

10. Regulation (EÚ) 2015/1221 (VII Atp. CLP) of the European Parliament 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament

- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)

14. Regulation (EU) 2018/669 (XI Atp. CLP) 15. Regulation (EU) 2019/521 (XII Atp. CLP)

16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)

17. Regulation (EU) 2019/1148

18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)

19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)

20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)

21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)

22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)

- The Merck Index. - 10th Edition - Handling Chemical Safety

INRS - Fiche Toxicologique (toxicological sheet)

Patty - Industrial Hygiene and Toxicology

N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition

IFA GESTIS website

FCHA website

Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP. Part 4. unless determined otherwise in Section 12.

Changes to previous review:

The following sections were modified:

01.



Revision nr. 4.2

Dated 10/10/2023

COFFEE CLEAN

Page n. 17/19

Replaced revision:4.1 (Printed on: 01/03/2023)

APPENDIX: EXPOSURE SCENARIOS - No.1

PHASE: TRANSFER OF THE PROFESSIONAL PRODUCT INTO CONTAINER (BUCKET/MACHINE)

(ref AISE GEIS.8a .1.a.v1)- Open transfer of a concentrated product (with or without diluting); the worker is directly exposed to the product.

OPERATING CONDITIONS

Maximum duration	50 minutes/day
Process conditions	Process performed at room temperature
	Dilute if required with tap water at a maximum
	temperature of 45 °C.
	Local exhaust ventilation (LEV) is not required; generally
	efficient ventilation in the work place is sufficient

RISK MANAGEMENT MEASURES

nditions and measures concerning personal protective	Use gloves and protective goggles. See sect. 8 for
uipment (PPE), health and hygiene evaluation	specifications. Staff must be trained appropriately in use
	and maintenance
ERAL ADVICE	

Do not eat, drink, smoke or use live flames	
Wash hands after use. Avoid contact with damaged skin Do not mix with other products	
Leakage instructions	Dilute with water and collect.
Additional advice	Follow the instructions on the label, the technical sheet and the SDS in sect. 7.

ENVIRONMENTAL MEASURES: Prevent the non-diluted product from reaching surface water.

PRODUCT COMPOSITION PROPERTIES

The classification of the concentrated product can be found on the label and in sect. 2 of the SDS

The product classification is based on the ingredient classification. The list of ingredients contributing to the product classification can be found in sect. 3 of the SDS.

The exposure evaluation is based on the key limit values of the ingredients indicated in sect. 8 of the SDS

The product may contain sensitizing components which may cause an allergic reaction in some people. Sect. 15 of the SDS lists these sensitizing components, where applicable to the product.

USE DESCRIPTORSSU 22: Professional uses

PC 35: Washing and cleaning products (including solvent-based products)

PROC 8a: Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at nondedicated facilities

ERC 8a: Wide dispersive indoor use of processing aids in open systems

J REPA	REPA Italia s.r.l. a socio unico COFFEE CLEAN		Revision nr. 4.2 Dated 10/10/2023
			Page n. 18/19 Replaced revision:4.1 (Printed on: 01/03/2023)
Using a product in a machine whe (e.g.: Tunnel washsing)	NAL PRODUCT IN A SEM	I CLOSED SYSTEM (ref AISE GE osed to the product/vapors	EIS 2.1.a.V1)
DPERATING CONDITIONS		480 minutes/day	
Process conditions		480 minutes/day Process performed at room temper Local exhaust ventilation (LEV) efficient ventilation in the work p	is not required; generally
RISK MANAGEMENT MEASU	PES		
Conditions and measures conc equipment (PPE), health and h	erning personal protective	Personal protective equipment is	not required.
GENERAL ADVICE			
Do not eat, drink, smoke or use	e live flames		
Wash hands after use. Avoid contact with damaged si Do not mix with other product			
Leakage instructions		Dilute with water and collect	
Additional advice		Follow the instructions on the lab and the SDS in sect. 7.	bel, the technical sheet
ENVIRONMENTAL MEASURE		product from reaching surface water	
		l on the label and in sect. 2 of the SI	DS
The product classification is ba classification can be found in s	used on the ingredient classif	fication. The list of ingredients cont	ributing to the product
		f the ingredients indicated in sect. 8	
The product may contain sensi SDS lists these sensitizing com		ay cause an allergic reaction in some o the product.	e people. Sect. 15 of the
JSE DESCRIPTORS			
SU 22: Professional uses		Level Level N	
PC 35: Washing and cleaning PROC 2: Use in closed, contin			
ERC 8a: Wide dispersive indo		· · · · · · · · · · · · · · · · · · ·	
· · · · · · · · · · · · · · · · · · ·			



Revision nr. 4.2

Dated 10/10/2023

COFFEE CLEAN

Page n. 19/19 Replaced revision:4.1 (Printed on: 01/03/2023)

APPENDIX: EXPOSURE SCENARIOS - NO. 11

PHASE: USING A PROFESSIONAL PRODUCT FOR IMMERSING/POURING (ref AISE GEIS.13 .1.A.v1) The product is poured on an item, or the item is immersed in the product (e.g. toilet cleaning)

OPERATING CONDITIONS

Maximum duration	50 minutes/day
Process conditions	Process performed at room temperature
	Dilute if required with tap water at a maximum temperature of 45 °C.
	Local exhaust ventilation (LEV) is not required; generally efficient ventilation in the work place is sufficient

RISK MANAGEMENT MEASURES

Conditions and measures concerning personal protective equipment (PPE), health and hygiene	Use gloves and protective goggles. See sect. 8 for specifications
evaluation	
	Staff must be trained appropriately in use and maintenance

GENERAL ADVICE

Do not eat, drink, smoke or use live flames	
Wash hands after use. Avoid contact with damaged skin Do not mix with other products	
Leakage instructions	Dilute with water and collect
Additional advice	Follow the instructions on the label, the technical sheet and
	the SDS in sect. 7.

ENVIRONMENTAL MEASURES: Prevent the non-diluted product from reaching surface water PRODUCT COMPOSITION PROPERTIES

The classification of the concentrated product can be found on the label and in sect. 2 of the SDS

The product classification is based on the ingredient classification. The list of ingredients contributing to the product classification can be found in sect. 3 of the SDS.

The exposure evaluation is based on the key limit values of the ingredients indicated in sect. 8 of the SDS

The product may contain sensitizing components which may cause an allergic reaction in some people. Sect. 15 of the SDS lists these sensitizing components, where applicable to the product.

USE DESCRIPTORS

SU 22: Professional uses

PC 35: Washing and cleaning products (including solvent-based products)

PROC 13: Treatment of items by immersing or pouring

ERC 8a: Wide dispersive indoor use of processing aids in open systems