

Animo Scale remover

Version: 3 / GB Replaces Version: 2 / GB Date revised: 27.01.2021

Print date: 23.04.21

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Animo Scale remover

1.2. Relevant identified uses of the substance or mixture and uses advised against Identified Uses

PC35 Washing and cleaning products (including solvent based products)

1.3. Details of the supplier of the safety data sheet

Address:

Animo B.V.
Postbus 71
NL-9400 AB Assen
Telephone no. +31 (0)592 376376
Fax no. +31 (0)592 341751
www.animo.eu

E-mail address of person responsible for this SDS:

pkroon@animo.nl

1.4. Emergency telephone number

Emergency telephone number: 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)

Skin Irrit. 2	H315
Eye Irrit. 2	H319
Aquatic Chronic 3	H412

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008
For explanation of abbreviations see section 16.

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

Hazard pictograms



Signal word

Warning

Hazard statements

H315	Causes skin irritation.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

Precautionary statements

P273	Avoid release to the environment.
------	-----------------------------------

Animo Scale remover

Version: 3 / GB

Replaces Version: 2 /
GB

Date revised: 27.01.2021

Print date: 23.04.21

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352 IF ON SKIN: Wash with plenty of soap and water.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists: Get medical advice/attention.
Dispose only when container is empty and closed. For disposal of product residues, refer to safety data sheet.

2.3. Other hazards

No special hazards have to be mentioned. The product contains no PBT or vPvB substances.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients

sulfamic acid

CAS No.	5329-14-6			
EINECS no.	226-218-8			
Registration no.	01-2119488633-28			
Concentration		>=	50	%
Classification (Regulation (EC) No. 1272/2008)				
	Skin Irrit. 2			H315
	Eye Irrit. 2			H319
	Aquatic Chronic 3			H412

Other information

Complete text of hazard statements in chapter 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated clothing immediately and dispose of safely. In any case show the physician the Safety Data Sheet.

After inhalation

Ensure supply of fresh air. When dust is intensively inhaled, seek medical help immediately.

After skin contact

Wash off immediately with soap and water. Take medical treatment.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). Summon a doctor immediately.

After ingestion

If swallowed, seek medical advice immediately and show this container or label. Rinse mouth thoroughly with water. Let plenty of water be drunk in small gulps. Do not induce vomiting.

Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed

Hints for the physician / hazards

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

Animo Scale remover

Version: 3 / GB

Replaces Version: 2 /
GB

Date revised: 27.01.2021

Print date: 23.04.21

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.

Non suitable extinguishing media

Compatible with all usual extinguishing media.

5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.

5.3. Advice for firefighters

Special protective equipment for fire-fighting

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus.

Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains. Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing.

6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Knock down dust with water spray jet.

6.3. Methods and material for containment and cleaning up

Pick up mechanically. Dispose of absorbed material in accordance with the regulations.

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid the formation and deposition of dust. Keep container tightly closed.

7.2. Conditions for safe storage, including any incompatibilities

Recommended storage temperature

Value > 0 < 30 °C

Requirements for storage rooms and vessels

Keep in original packaging, tightly closed. Provide solvent-resistant and impermeable floor.

Storage classes

Storage class according to TRGS 510 8B Non-combustible corrosive hazardous substances

7.3. Specific end use(s)

no data

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Animo Scale remover

Version: 3 / GB Replaces Version: 2 / GB Date revised: 27.01.2021

Print date: 23.04.21

Other information

Contains no substances with occupational exposure limit values.

8.2. Exposure controls

General protective and hygiene measures

Do not inhale dust/fumes/aerosols. Avoid contact with skin and eyes. Do not eat, drink or smoke during work time. Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.

Respiratory protection

Use breathing apparatus in dust-laden atmosphere. Particle filter P2

Hand protection

Chemical resistant gloves

Use	Permanent hand contact
Appropriate Material	neoprene
Material thickness	>= 0,65 mm
Breakthrough time	> 480 min
Appropriate Material	nitrile
Material thickness	>= 0,4 mm
Breakthrough time	> 480 min
Appropriate Material	butyl
Material thickness	>= 0,7 mm
Breakthrough time	> 480 min
Use	Short-term hand contact
Appropriate Material	nitrile
Material thickness	>= 0,11 mm

Hand protection must comply with EN 374.

Eye protection

Safety glasses with side protection shield; Eye protection must comply with EN 166.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Form	solid
Colour	white
Odour	characteristic
Odour threshold	
Remarks	not determined
pH value	
Value	appr. 0,6
Concentration/H ₂ O	5 %
Temperature	20 °C
Melting point	
Remarks	not determined
Freezing point	
Remarks	not determined
Initial boiling point and boiling range	
Remarks	not determined
Flash point	
Remarks	Not applicable
Evaporation rate (ether = 1) :	

Animo Scale remover

Version: 3 / GB Replaces Version: 2 / GB Date revised: 27.01.2021

Print date: 23.04.21

Remarks not determined

Flammability (solid, gas)

evaluation not determined

Upper/lower flammability or explosive limits

Remarks Not applicable

Vapour pressure

Remarks not determined

Vapour density

Remarks not determined

Density

Remarks not determined

Solubility in water

Remarks soluble

Solubility(ies)

Remarks not determined

Partition coefficient: n-octanol/water

Remarks not determined

Ignition temperature

Remarks Not applicable

Decomposition temperature

Remarks not determined

Viscosity

Remarks Not applicable

Explosive properties

evaluation not determined

Oxidising properties

evaluation None known

9.2. Other information

Bulk density

Value 1210 to 1270 kg/m³

Other information

None known

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reactions when stored and handled according to prescribed instructions.

10.2. Chemical stability

No hazardous reactions known.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

No hazardous reactions known.

10.5. Incompatible materials

Reactions with alkalies.

Animo Scale remover

Version: 3 / GB

Replaces Version: 2 /
GB

Date revised: 27.01.2021

Print date: 23.04.21

10.6. Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute oral toxicity

Species	rat		
LD50	>	2000	mg/kg
Method	calculated value (Regulation (EC) No. 1272/2008)		

Acute oral toxicity (Components)

sulphamidic acid

Species	rat		
LD50		3160	mg/kg

Acute dermal toxicity

Remarks Based on available data, the classification criteria are not met.

Acute dermal toxicity (Components)

sulphamidic acid

Species	rat		
LD50	>	2000	mg/kg
Duration of exposure		24	h

Acute inhalational toxicity

Remarks Based on available data, the classification criteria are not met.

Skin corrosion/irritation

evaluation irritant

Serious eye damage/irritation

evaluation irritant

Sensitization

Remarks Based on available data, the classification criteria are not met.

Subacute, subchronic, chronic toxicity

Remarks Based on available data, the classification criteria are not met.

Mutagenicity

Remarks Based on available data, the classification criteria are not met.

Reproductive toxicity

Remarks Based on available data, the classification criteria are not met.

Carcinogenicity

Remarks Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity (STOT)

Single exposure

Remarks Based on available data, the classification criteria are not met.

Repeated exposure

Remarks Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Experience in practice

Inhalation of dusts may irritate the respiratory tract.

Animo Scale remover

Version: 3 / GB

Replaces Version: 2 /
GB

Date revised: 27.01.2021

Print date: 23.04.21

Other information

There is no data available on the product apart from the information given in this subsection.

SECTION 12: Ecological information

12.1. Toxicity

General information

not determined

Fish toxicity (Components)

sulphamidic acid

Species	Fathead minnow (<i>Pimephales promelas</i>)		
LC50	70,3		mg/l
Duration of exposure	96	h	

Daphnia toxicity (Components)

sulphamidic acid

Species	Daphnia magna		
EC50	71,6		mg/l
Duration of exposure	48	h	
Method	OECD 202		

Algae toxicity (Components)

sulphamidic acid

Species	Scenedesmus subspicatus		
ErC50	48		mg/l
Duration of exposure	72	h	

Bacteria toxicity (Components)

sulphamidic acid

Species	activated sludge		
EC50	> 200		mg/l
Duration of exposure	3	h	

12.2. Persistence and degradability

General information

not determined

12.3. Bioaccumulative potential

General information

not determined

Partition coefficient: n-octanol/water

Remarks not determined

12.4. Mobility in soil

General information

not determined

12.5. Results of PBT and vPvB assessment

General information

not determined

Evaluation of persistence and bioaccumulation potential

The product contains no PBT or vPvB substances.

12.6. Other adverse effects

Animo Scale remover

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 27.01.2021

Print date: 23.04.21

General information

not determined

General information / ecology

Do not allow to enter soil, waterways or waste water canal.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations for the product

Allocation of a waste code number, according to the European Waste Catalogue (EWC), should be carried out in agreement with the regional waste disposal company.

Disposal recommendations for packaging

Packaging that cannot be cleaned should be disposed off in agreement with the regional waste disposal company.

SECTION 14: Transport information

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
Tunnel restriction code	E		
IMDG-Code segregation group		1 Acids	
14.1. UN number	2967	2967	2967
14.2. UN proper shipping name	SULPHAMIC ACID	SULPHAMIC ACID	SULPHAMIC ACID
14.3. Transport hazard class(es)	8	8	8
Label			
14.4. Packing group	III	III	III
Limited Quantity	5 kg		
Transport category	3		
14.5. Environmental hazards		no	

Information for all modes of transport

14.6. Special precautions for user

See Sections 6 to 8

Other information

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

Animo Scale remover

Version: 3 / GB

Replaces Version: 2 /
GB

Date revised: 27.01.2021

Print date: 23.04.21

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC

VOC (EU) 0 %

Other information

The product does not contain substances of very high concern (SVHC).

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: Other information

Hazard statements listed in Chapter 3

H315 Causes skin irritation.
H319 Causes serious eye irritation.
H412 Harmful to aquatic life with long lasting effects.

CLP categories listed in Chapter 3

Aquatic Chronic 3 Hazardous to the aquatic environment, chronic, Category 3
Eye Irrit. 2 Eye irritation, Category 2
Skin Irrit. 2 Skin irritation, Category 2

Abbreviations

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route
RID: Règlement concernant le transport international ferroviaire de marchandises dangereuses
IMDG: International Maritime Code for Dangerous Goods
ICAO: International Civil Aviation Organization
IATA: International Air Transport Association
CAS: Chemical Abstracts Service
VOC: Volatile Organic Compound
LD: Lethal dose
LC: Lethal concentration
PBT: Persistent, Bioaccumulative and Toxic
vPvB: Very persistent and very bioaccumulative
SVHC: Substances of very high concern
MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978 (MARPOL: Marine Pollution)
IBC: Intermediate Bulk Container
OEL: Occupational exposure limit
TSCA: Toxic Substances Control Act (USA)
IMO: International Maritime Organization
GHS: Globally Harmonized System of classification and Labelling of Chemicals
REACH: Registration, Evaluation, Autohorisation and Restriction of Chemicals
UN: United Nations

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: ***
This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.